

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 28/02/2023 Revision date: 02/02/2024 Supersedes version of: 08/05/2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 43300 - UNIVERSAL TRACTOR OIL SYN 80W

Product code : 43300

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

77 Lubricants B.V. NL- 1761 JA The Netherlands T +31 (0)78 6527652

technical@77lubricants.nl - www.77lubricants.nl

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|----------------------------|------------------|-----------------------------------|
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER | +44 20 7188 7188 | |
| United Kingdom | National Poisons Information Service (Belfast Centre) Royal Victoria Hospital | Grosvenor Road BT12 6BA | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read carefully and follow all instructions. P273 - Avoid release to the environment.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EUH-statements

: EUH208 - Contains 2-tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------------|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil substance with a Community workplace exposure limit | CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13 | ≥ 55 – < 75 | Asp. Tox. 1, H304 |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GR, HU, IE, LT, LV, NL, PL, PT, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit | CAS-No.: 72623-86-0 EC-No.: 276-737-9 EC Index-No.: 649-482-00-X REACH-no: 01-2119474878- | ≥ 25 – < 45 | Asp. Tox. 1, H304 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit | CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27 | ≥1-<5 | Not classified |
| Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit | CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25 | ≥1-<5 | Not classified |
| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) substance with national workplace exposure limit(s) (DE, SK) | CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27 | ≥ 0.3 – < 3 | Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| 2-tetradecyloxirane, reaction products with boric acid | EC-No.: 701-392-2 REACH-no: 01-2119976364- 28 | ≥ 0.3 – < 1 | Skin Sens. 1B, H317 |
| triphenyl phosphite | CAS-No.: 101-02-0 EC-No.: 202-908-4 EC Index-No.: 015-105-00-7 REACH-no: 01-2119511213- | < 0.3 | Eye Irrit. 2, H319 Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|-------|---|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics substance with national workplace exposure limit(s) (NL); substance with a Community workplace exposure limit | EC-No.: 926-141-6 REACH-no: 01-2119456620- 43 | < 0.1 | Asp. Tox. 1, H304 |

| Specific concentration limits: | | | |
|--|--|---|--|
| Name | Product identifier | Specific concentration limits (%) | |
| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) | CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27 | (50 ≤ C < 80) Eye Irrit. 2, H319 (80 ≤ C < 100) Eye Dam. 1, H318 | |
| triphenyl phosphite | CAS-No.: 101-02-0 EC-No.: 202-908-4 EC Index-No.: 015-105-00-7 REACH-no: 01-2119511213- | (5 ≤ C < 100) Eye Irrit. 2, H319 (5 ≤ C < 100) Skin Irrit. 2, H315 | |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

02/02/2024 (Revision date) GB - en 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid spilling the product, as this might cause falls.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes.

Handling temperature : ≤ 40 °C

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : ≤ 40 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Distillates (petroleum), hydrotreated heavy pa | Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|---|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA 5 mg/m³ | | |
| United Kingdom - Occupational Exposure Limits | | |
| WEL TWA (OEL TWA) [1] 5 mg/m³ | | |

02/02/2024 (Revision date) GB - en 4/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) | | |
|---|--|--|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | | |
| IOEL TWA | 5 mg/m³ | | |
| IOEL STEL | 10 mg/m³ | | |
| United Kingdom - Occupational Exposure Limits | | | |
| WEL TWA (OEL TWA) [1] | 5 mg/m³ | | |
| WEL STEL (OEL STEL) | 10 mg/m³ | | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 5 mg/m³ | | |
| IOEL STEL | 10 mg/m³ | | |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) | | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | | |
| IOEL TWA | 5 mg/m³ | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | | |
| IOEL TWA | 1200 mg/m³ | | |
| IOEL TWA [ppm] | 165 ppm | | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Eye protection | | | |
|----------------|----------------------|-----------------|----------|
| Туре | Field of application | Characteristics | Standard |
| Safety glasses | Droplet | clear | EN 166 |

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

| Hand protection | | | | | |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Туре | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | >0.35 | | EN ISO 374 |

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour Brown. Odour Not available Odour threshold : Not available Melting point : Not applicable : -42 °C (ASTM D7346) Freezing point : Not available Boiling point Flammability : Non flammable. Lower explosion limit Not available Upper explosion limit : Not available

Flash point : > 201 °C (ASTM D92)

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available
it Not available

Viscosity, kinematic : 51.7 mm²/s @ 40°C (ASTM D7042)

Solubility : insoluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available

Vapour pressure at 50°C : Not available

Density : 861 kg/m³ @ 15°C (ASTM D4052)

Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Acute toxicity (inhalation) | Not classified | | | |
|---|--|--|--|--|
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | | | |
| LD50 oral (rat) | > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test | | | |
| LD50 dermal (rabbit) | > 2000 mg/kg 402 Acute Dermal Toxicity Test | | | |
| LC50 inhalation (rat) (mg/l) | > 5000 mg/l/4h | | | |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test | | | |
| Distillates (petroleum), solvent-dewaxed heav | yy paraffinic (64742-65-0) | | | |
| LD50 oral (rat) | > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test | | | |
| LD50 dermal (rabbit) | > 5000 mg/kg 402 Acute Dermal Toxicity Test | | | |
| LC50 inhalation (rat) (Vapours - mg/l/4h) | > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test | | | |
| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | | | | |
| LD50 oral (rat) | 3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity) | | | |
| LD50 dermal (rabbit) | > 5000 mg/kg OECD Guideline 402 (Acute Dermal Toxicity) | | | |
| 2-tetradecyloxirane, reaction products with boric acid | | | | |
| LD50 oral (rat) | > 16000 mg/kg | | | |
| LD50 dermal (rat) | > 2000 mg/kg | | | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | | | | |
| LD50 oral (rat) | > 5000 mg/kg | | | |

02/02/2024 (Revision date) GB - en 7/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) | | | | | |
|--|---|---|--|--|--|
| Loss inhalation (rat) (DustMint - mg/l/4h) > 5.53 mg/l/4h | Lubricating oils (petroleum), C20-50, hydrotre | eated neutral oil (72623-87-1) | | | |
| Lubricating oils (petroleum), C15-30, hydrotroated neutral oil-based (72623-86-0) | LD50 dermal (rabbit) | > 2000 mg/kg | | | |
| D50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test | LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5.53 mg/l/4h | | | |
| LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics LD50 derial (rat) > 5000 mg/kg LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (mg/l) > 600 mg/kg LC50 inhalation (rat) (mg/l) > 600 mg/kg LC50 inhalation (rat) (mg/l) > 600 mg/kg LC50 inhalation (rat) (mg/l) / 600 mg/kg LC50 inhalation (mg/l) / 600 mg/kg LC50 inhalation (rat) (mg/l) / 600 mg/kg LC5 | Lubricating oils (petroleum), C15-30, hydrotre | ated neutral oil-based (72623-86-0) | | | |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.5.3 mg/l4h 403 Acute Inhalation Toxicity Test Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (mg/l) / 5000 mg/kg LC50 inhalation (rat) (rat | LD50 oral (rat) | > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test | | | |
| Hydrocarbons, C11-C14, n-alkanes, Isoalikanes, cyclics, < 2% aromatics LD50 oral (rat) | LD50 dermal (rabbit) | > 5000 mg/kg 402 Acute Dermal Toxicity Test | | | |
| LD50 oral (rat) | LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test | | | |
| LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (mg/l) > 5000 mg/m² 8 Hrs Skin corroson/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-depeated : Not classified STOT-depeated exposure : Not classified STOT-depaated exposure : Not classified STOT-depeated exposure : Not classified | Hydrocarbons, C11-C14, n-alkanes, isoalkane | s, cyclics, < 2% aromatics | | | |
| LC50 inhalation (rat) (mg/l) > 5000 mg/m² 8 Hrs Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Serious eye damage/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-Dased (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-Dased (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), bydrotreated heavy paraffinic (64742-65-0) Viscosity, kinematic 98 (98 – 108) mm²/s @ 40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos-phate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @ 40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | LD50 oral (rat) | > 5000 mg/kg | | | |
| Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Serious eye damage/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Serious exposure : Not classified STOT-single exposure : Not classified STOT-repeated : Not classified STOT-repeated exposure : Not classified STOT-repeated : Not classified STOT-repeated exposure : Not classified STOT-rep | LD50 dermal (rabbit) | > 5000 mg/kg | | | |
| Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified | LC50 inhalation (rat) (mg/l) | > 5000 mg/m³ 8 Hrs | | | |
| Respiratory or skin sensitisation Germ cell mutagenicity Reproductive toxicity Reproductive toxicity STOT-single exposure STOT-single e | Skin corrosion/irritation : | Not classified | | | |
| Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-ringle exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight LoAEL (oral, rat, 90 days) 125 mg/kg bodyweight Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 98 (98 - 108) mm ² /s @40°C Linc bis[O,O-bis[2-ethylhexyl]) bis(dithiophos=pate) (4259-15-8) Viscosity, kinematic 131.6 mm ² /s @40°C Lubricating oils (petroleum), c20-50, hydrotreated neutral oil (72623-87-1) | , 5 | Not classified | | | |
| Carcinogenicity Carcinogenicit | | Not classified | | | |
| Reproductive toxicity : Not classified STOT-ingle exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic 51.7 mm³/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm³/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm³/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm³/s @40°C | 3 | Not classified | | | |
| STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) | | | | | |
| STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos-bate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos-bate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | | | | | |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight 215 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos)hate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | • . | | | | |
| LOAEL (oral, rat, 90 days) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos>hate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 - 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 - 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos>hate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | STOT-repeated exposure : | Not classified | | | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) Zinc bis(O,O-bis(2-ethylhexyl)) bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day LUBRICATION OF STORM OF S | Distillates (petroleum), hydrotreated heavy pa | Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | | |
| LOAEL (oral, rat, 90 days) Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) 125 mg/kg bodyweight (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-87-1) 125 mg/kg bodyweight (72623-87-1) | LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 | | | |
| NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) | Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | | | | |
| NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard 105 Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic 151.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 - 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 - 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight | | | |
| Day Oral Toxicity Study in Rodents) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | | | | |
| LOAEL (oral, rat, 90 days) Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | NOAEL (oral, rat, 90 days) | | | | |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) Aspiration hazard: Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic: 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic: 98 (98 – 108) mm²/s @ 40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic: 150 (1.99 – 847) mm²/s @ 40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic: 131.6 mm²/s @ 40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | Lubricating oils (petroleum), C20-50, hydrotre | ated neutral oil (72623-87-1) | | | |
| LOAEL (oral, rat, 90 days) Aspiration hazard: Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic: 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic: 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic: 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic: 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight/day | | | |
| Aspiration hazard : Not classified 43300 - UNIVERSAL TRACTOR OIL SYN 80W Viscosity, kinematic 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | Lubricating oils (petroleum), C15-30, hydrotre | ated neutral oil-based (72623-86-0) | | | |
| Viscosity, kinematic 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight | | | |
| Viscosity, kinematic 51.7 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | Aspiration hazard : | Not classified | | | |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | 43300 - UNIVERSAL TRACTOR OIL SYN 80W | | | | |
| Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | Viscosity, kinematic | 51.7 mm²/s @ 40°C (ASTM D7042) | | | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | Distillates (petroleum), hydrotreated heavy pa | rraffinic (64742-54-7) | | | |
| Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | Viscosity, kinematic | 98 (98 – 108) mm²/s @40°C | | | |
| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) | | | |
| Viscosity, kinematic 131.6 mm²/s @40°C Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | Viscosity, kinematic | 150 (1.99 – 847) mm²/s @40°C | | | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos | phate) (4259-15-8) | | | |
| | Viscosity, kinematic | 131.6 mm²/s @40°C | | | |
| Viscosity, kinematic 47 mm²/s | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | | | | |
| | Viscosity, kinematic | 47 mm²/s | | | |

02/02/2024 (Revision date) GB - en 8/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) | | |
|--|--|--|
| Viscosity, kinematic 1.99 – 847 mm²/s 40°C | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | |
| Viscosity, kinematic 2.4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' | | |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

Not rapidly degradable

| Not rapidly degradable | Not rapidly degradable | | |
|--|--|--|--|
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas | | |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna | | |
| EC50 72h - Algae [1] | > 100 mg/l Pseudokirchneriella subcapitat | | |
| NOEC chronic fish | 1000 mg/l Oncorhynchus mykiss (14d) | | |
| NOEC chronic crustacea | 10 mg/l Daphnia magna (21d) | | |
| NOEC chronic algae | ≥ 100 mg/l Pseudokirchneriella subcapitata (72h) | | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | | | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas | | |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna | | |
| NOEC chronic fish | > 1000 mg/l Oncorhynchus mykiss (14d) | | |
| NOEC chronic crustacea | > 10 mg/l Daphnia magna (21d) | | |
| NOEC chronic algae | > 100 mg/l Pseudokirchneriella subcapitata (72h) | | |
| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | | | |
| LC50 - Fish [1] | 4.4 mg/l Oncorhynchus mykiss | | |
| EC50 - Crustacea [1] | 75 mg/l Daphnia magna | | |
| EC50 72h - Algae [1] | 410 mg/l Desmodesmus subspicatus | | |
| NOEC chronic crustacea | 0.4 mg/l Daphnia magna (21d) | | |
| NOEC chronic algae | 220 mg/l Scenedesmus quadricauda (72h) | | |
| 2-tetradecyloxirane, reaction products with boric acid | | | |
| LC50 - Fish [1] | > 100 mg/l Rainbow trout | | |
| EC50 - Crustacea [1] | > 100 mg/l Daphnia magna | | |
| EC50 72h - Algae [1] | > 100 mg/l Selenastrum capricomutum | | |
| NOEC chronic crustacea | 10 mg/l Daphnia magna (21d) | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 | | |
|--|--|--|
| triphenyl phosphite (101-02-0) | | |
| EC50 - Crustacea [1] | 0.94 mg/l Daphnia magna | |
| EC50 72h - Algae [1] | > 100 mg/l Scenedesmus quadricauda | |
| Lubricating oils (petroleum), C20-50, hydrotre | ated neutral oil (72623-87-1) | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas | |
| EC50 - Crustacea [1] | > 10000 Daphnia magna | |
| NOEC chronic fish | 1000 mg/l Oncorhynchus mykiss (14d) | |
| NOEC chronic crustacea | 10 mg/l Daphnia magna (21d) | |
| NOEC chronic algae | 100 mg/l Pseudokirchneriella subcapitata (72h) | |
| Lubricating oils (petroleum), C15-30, hydrotre | eated neutral oil-based (72623-86-0) | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas | |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna | |
| NOEC chronic fish | 1000 mg/l Oncorhynchus mykiss (14d) | |
| NOEC chronic crustacea | 10 mg/l Daphnia magna (21d) | |
| NOEC chronic algae | ≥ 100 mg/l Pseudokirchneriella subcapitata (72h) | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | |
| LC50 - Fish [1] | > 1000 mg/l Oncorhynchus mykiss | |
| EC50 - Crustacea [1] | > 1000 mg/l Daphnia magna | |
| EC50 72h - Algae [1] | > 1000 mg/l Pseudokirchneriella subcapitata | |
| 12.2. Persistence and degradability | | |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | |
| Persistence and degradability | Not readily biodegradable. | |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | |
|---|----------------------------|--|
| Persistence and degradability | Not readily biodegradable. | |
| Biodegradation | 31 % OECD TG 301 F (28d) | |
| Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) | |
| Biodegradation | 31 % OECD 301F (28d) | |
| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos | phate) (4259-15-8) | |
| Persistence and degradability | Not readily biodegradable. | |
| Biodegradation | < 5 % OECD TG 301 D (28d) | |
| 2-tetradecyloxirane, reaction products with boric acid | | |
| Biodegradation | 17.3 % (28d) | |
| triphenyl phosphite (101-02-0) | | |
| Biodegradation | 0.14 % OECD TG 301 D (28d) | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | | |
| Biodegradation | 31 % | |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) | | |
| Persistence and degradability | Not readily biodegradable. | |
| Biodegradation | 31 % 28 d OECD 301F | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Biodegradation 69 % OECD 301F (28d)

12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Partition coefficient n-octanol/water (Log Pow) 3.9 – 6

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

Bioconcentration factor (BCF REACH) 260

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)

Partition coefficient n-octanol/water (Log Kow) 3.

2-tetradecyloxirane, reaction products with boric acid

Partition coefficient n-octanol/water (Log Kow) 9.4

triphenyl phosphite (101-02-0)

Partition coefficient n-octanol/water (Log Kow) 6.62 @ 25°C

12.4. Mobility in soil

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Ecology - soil Adsorbs into the soil.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods European List of Waste (LoW, EC 2000/532) HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : 13 02 06* synthetic engine, gear and lubricating oils
- : HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|------------------------------|------|------|-----|-----|
| 14.1. UN number or ID number | | | | |
| Not regulated for transport | | | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID | |
|--|----------------------------------|---------------|---------------|---------------|--|
| 14.2. UN proper shippin | 14.2. UN proper shipping name | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated | |
| 14.3. Transport hazard o | 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated | |
| 14.4. Packing group | | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated | |
| 14.5. Environmental hazards | | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated | |
| No supplementary information available | | | | | |

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|---|----------|----------|
| Section | Changed item | Change | Comments |
| | Supersedes | Modified | |
| | Revision date | Modified | |
| 2.1 | Adverse physicochemical, human health and environmental effects | Modified | |
| 2.1 | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Added | |
| 2.2 | Precautionary statements (CLP) | Added | |
| 2.2 | Hazard statements (CLP) | Added | |
| 2.2 | EUH-statements | Modified | |
| 3 | Composition/information on ingredients | Modified | |
| 6.1 | General measures | Added | |
| 7.1 | Precautions for safe handling | Modified | |
| 9.1 | Colour | Modified | |
| 10.5 | Incompatible materials | Added | |
| 12.1 | Ecology - general | Modified | |

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | | |
|-----------------------------|--|--|
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| VOC | Volatile Organic Compounds | |
| CAS-No. | Chemical Abstract Service number | |
| N.O.S. | Not Otherwise Specified | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| ED | Endocrine disrupting properties | |

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| EUH208 | Contains 2-tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction. | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| H304 | May be fatal if swallowed and enters airways. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H411 | Toxic to aquatic life with long lasting effects. | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1B | Skin sensitisation, category 1B |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.