

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 24/01/2023 Revision date: 01/02/2024 Supersedes version of: 09/05/2023 Version: 1.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form	

Product name Product code

:	Mixture
:	42890 - MARINE TPEO 315
÷	42890

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Function or use category Industrial use,Professional useLubricants and additives

### 1.2.2. Uses advised against

No additional information available

### **1.3. Details of the supplier of the safety data sheet**

77 Lubricants B.V. NL– 1761 JA The Netherlands T +31 (0)78 6527652 technical@77lubricants.nl - www.77lubricants.nl

#### **1.4. Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

## 2.2. Label elements

EUH-statements

: EUH208 - Contains Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivs, calcium salts (2:1)(83846-43-9). May produce an allergic reaction. EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

## Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 75 – < 90	Not classified
Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	≥5-<10	Not classified
Lubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GB, GR, HU, IE, LT, LV, NL, PT, RO, SE, SK, NO); substance with a Community workplace exposure limit	CAS-No.: 74869-22-0 EC-No.: 278-012-2 EC Index-No.: 649-484-00-0 REACH-no: 01-2119495601- 36	≥1-<3	Not classified
Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivs., calcium salts (2:1)	CAS-No.: 83846-43-9 EC-No.: 281-018-8 REACH-no: 01-2119968558- 17	≥1-<3	Skin Sens. 1, H317

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivs., calcium salts (2:1)	CAS-No.: 83846-43-9 EC-No.: 281-018-8 REACH-no: 01-2119968558- 17	(5.88 ≤ C < 100) Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact First-aid measures after eye contact	<ul><li>Wash skin with plenty of water.</li><li>Rinse eyes with water as a precaution.</li></ul>
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a water jet since it may cause the fire to spread.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Precautionary measures fire Firefighting instructions Protection during firefighting	<ul> <li>Exercise caution when fighting any chemical fire.</li> <li>Use water spray or fog for cooling exposed containers.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>	

SECTION 6: Accidental release measures			
6.1. Personal precautions, protectiv	e equipment and emergency procedures		
General measures	: Avoid spilling the product, as this might cause falls.		
6.1.1. For non-emergency personnel			
Protective equipment Emergency procedures	<ul><li>Wear recommended personal protective equipment.</li><li>Ventilate spillage area.</li></ul>		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for conta	inment and cleaning up		

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	<ul> <li>Avoid contact with skin and eyes. Ensure good ventilation of the work station. Wear personal protective equipment.</li> </ul>
Handling temperature	: ≤ 40 °C
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Technical measures	: Provide local exhaust or general room ventilation.

01/02/2024 (Revision date)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Storage conditions Storage temperature Storage area Special rules on packaging	<ul> <li>Store in a well-ventilated place. Keep cool.</li> <li>≤ 40 °C</li> <li>Store in a well-ventilated place. Store away from heat.</li> <li>Keep only in original container. Store in a closed container.</li> </ul>	
7.0 Output (find the standard standa		

7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1] 5 mg/m <sup>3</sup>		
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA 5 mg/m <sup>3</sup>		
IOEL STEL 10 mg/m <sup>3</sup>		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1] 5 mg/m <sup>3</sup>		
WEL STEL (OEL STEL) 10 mg/m <sup>3</sup>		

Lubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)

EU - Indicative Occupational Exposure Limit (IOEL)				
IOEL TWA 5 mg/m <sup>3</sup>				
IOEL STEL	IOEL STEL 10 mg/m <sup>3</sup>			
United Kingdom - Occupational Exposure Limits				
WEL TWA (OEL TWA) [1] 500 mg/m <sup>3</sup>				

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.





### 8.2.2.1. Eye and face protection

#### Eye protection: Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

### 8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

## Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.35		EN ISO 374

### 8.2.2.3. Respiratory protection

## **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: brown.	
Odour	: Not available	
Odour threshold	: Not available	
Melting point	: Not applicable	
Freezing point	: -12 °C (ASTM D7346)	
Boiling point	: Not available	
Flammability	: Non flammable.	
Lower explosion limit	: Not available	
Upper explosion limit	: Not available	
Flash point	: > 230 °C (ASTM D92)	
Auto-ignition temperature	: Not available	
Decomposition temperature	: Not available	
pH	: Not available	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic	: 99 mm²/s @ 40°C (ASTM D7042)
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 895 kg/m³ @ 15°C (ASTM D4052)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as define	d in Regulation (EC) No 1272/2008	
Acute toxicity (dermal)	Not classified Not classified Not classified	
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)	
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test	
LD50 dermal (rabbit)	> 2000 mg/kg 402 Acute Dermal Toxicity Test	
LC50 inhalation (rat) (mg/l)	> 5000 mg/l/4h	
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test	
Distillates (petroleum), solvent-dewaxed heav	/y paraffinic (64742-65-0)	
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test	
LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating of lis; Baseoli— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dawaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74669-22-0) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 1 Not classified Lespiratory or skin sensitisation : Not classified Lespiratory or skin sensitisation : Not classified Lespiratory or skin sensitisation : Not classified TOT-single exposure : Not classified TOT-single exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-65-0) LCAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 DIstillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LCAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 42890 - MARINE TPEO 315 Viscosity, kinematic 99 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 98 (98 – 108) mm²/s @ 40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @ 40°C LUbricating oils; Baseoli— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)	Distillates (petroleum), solvent-dewaxed hea	vy paraffinic (64742-65-0)
dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15         hthrough C50.] (74869-22-0)         LD50 oral (rat)       > 5000 mg/kg         LD50 demal (rabbit)       > 5000 mg/kg         LC50 inhalation (rat) (Vapours - mg/l/4h)       > 5000 mg/l/4h         kin corrosion/irritation       : Not classified         elous eye damage/irritation       : Not classified         reaching elivity       : Not classified         isem cell mutagenicity       : Not classified         reaching exposure       : Not classified         riot classified	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test
D50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/h) > 5000 mg/l/h kin corrosion/initiation : Not classified teroius eye damage/initiation : Not classified teroius eye damage/initiation : Not classified teroin cell mutagenicity : Not classified teroing enclosed in the sequence of the seque		
LC50 inhalation (rat) (Vapours - mg/l/4h)     > 5000 mg/l/4h       kin corrosion/irritation     : Not classified       terious eye damage/irritation     : Not classified       teriority     : Not classified       terrority     : Not classified       terrority     : Not classified       toro     : Not classified       Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)       LOAEL (oral, rat, 90 days)     125 mg/kg bodyweight       spiration hazard     : Not classified       toro is gained in hazard       toro is gained in hazard       tori classified       toric classified       toro is marking dave       tori classified       toro is marking dave       tori classified       toro is marking dave       toro is marking	LD50 oral (rat)	> 5000 mg/kg
kin corrosion/irritation       :       Not classified         ierious eye damage/irritation       :       Not classified         ierious eye damage/irritation       :       Not classified         iserin cell mutagenicity       :       Not classified         iarcinogenicity       :       Not classified         itTOT-single exposure       :       Not classified         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)       .         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)       .         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         sipration hazard       :       Not classified         42890 - MARINE TPEO 315       .         Viscosity, kinematic       99 mm²/s @ 40°C (ASTM D7042)         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)       .         Viscosity, kinematic       150 (1.99 – 847) mm²/s @40°C <td>LD50 dermal (rabbit)</td> <td>&gt; 5000 mg/kg</td>	LD50 dermal (rabbit)	> 5000 mg/kg
terious eye damage/irritation       :       Not classified         tespiratory or skin sensitisation       :       Not classified         tespiratory or skin sensitisation       :       Not classified         acrinogenicity       :       Not classified         acrinogenicity       :       Not classified         acrinogenicity       :       Not classified         terporductive toxicity       :       Not classified         tTOT-repeated exposure       :       Not classified         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)          LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)          LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         spiration hazard       :       Not classified         tsossity, kinematic       99 mm²/s @ 40°C (ASTM D7042)         Distillates (petroleum), hydrotreated heavy paraffinic (64742-65-0)          Viscosity, kinematic       98 (98 – 108) mm²/s @40°C         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)          Viscosity, kinematic       150 (1.99 – 847) mm²/s @40°C         Uscosity, kinematic       150 (1.99 – 847) mm	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 5000 mg/l/4h
sspiration hazard : Not classified   42890 - MARINE TPEO 315   Viscosity, kinematic   99 mm²/s @ 40°C (ASTM D7042)   Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)   Viscosity, kinematic   98 (98 – 108) mm²/s @ 40°C   Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)   Viscosity, kinematic   150 (1.99 – 847) mm²/s @40°C   Lubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)	Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity : Carcinogenicity : Reproductive toxicity : STOT-single exposure : STOT-repeated exposure : <b>Distillates (petroleum), hydrotreated heavy p</b> LOAEL (oral, rat, 90 days)	Not classified Not classified
42890 - MARINE TPEO 315         Viscosity, kinematic       99 mm²/s @ 40°C (ASTM D7042)         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         Viscosity, kinematic       98 (98 – 108) mm²/s @40°C         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)         Viscosity, kinematic       150 (1.99 – 847) mm²/s @40°C         Lubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight
Viscosity, kinematic99 mm²/s @ 40°C (ASTM D7042)Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)Viscosity, kinematic98 (98 – 108) mm²/s @40°CDistillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)Viscosity, kinematic150 (1.99 – 847) mm²/s @40°CLubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)	Aspiration hazard :	Not classified
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         Viscosity, kinematic       98 (98 – 108) mm²/s @40°C         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)         Viscosity, kinematic       150 (1.99 – 847) mm²/s @40°C         Lubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)	42890 - MARINE TPEO 315	
Viscosity, kinematic       98 (98 – 108) mm²/s @40°C         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)         Viscosity, kinematic       150 (1.99 – 847) mm²/s @40°C         Lubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)	Viscosity, kinematic	99 mm²/s @ 40°C (ASTM D7042)
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)         Viscosity, kinematic       150 (1.99 – 847) mm²/s @40°C         Lubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)	Distillates (petroleum), hydrotreated heavy p	paraffinic (64742-54-7)
Viscosity, kinematic Lubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)	Viscosity, kinematic	98 (98 – 108) mm²/s @40°C
Lubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)	Distillates (petroleum), solvent-dewaxed hea	vy paraffinic (64742-65-0)
dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)	Viscosity, kinematic	150 (1.99 – 847) mm²/s @40°C
/iscosity, kinematic 103 mm <sup>2</sup> /s @40°C		
	Viscosity, kinematic	103 mm²/s @40°C

11.2. Information on other hazards

No additional information available

# SECTION 12: Ecological information

# 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long–term (chronic) Not rapidly degradable	: Not classified

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
LC50 - Fish [1]	> 100 mg/l Pimephales promelas		
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna		
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitat		
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)		
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)		
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)		
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas		
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna		
NOEC chronic fish	> 1000 mg/l Oncorhynchus mykiss (14d)		
NOEC chronic crustacea	> 10 mg/l Daphnia magna (21d)		
NOEC chronic algae	> 100 mg/l Pseudokirchneriella subcapitata (72h)		
	mplex combination of hydrocarbons obtained from solvent extraction and ly of saturated hydrocarbons having carbon numbers in the range C15		
LC50 - Fish [1]	100 mg/l		
EC50 - Crustacea [1]	10000 mg/l		
EC50 72h - Algae [1]	100 mg/l		
NOEC chronic crustacea	10 mg/l 21 d		
Benzoic acid, 2-hydroxy-, mono-C>13-alkyl de	erivs., calcium salts (2:1) (83846-43-9)		
LC50 - Fish [1]	> 1000 mg/l Rainbow Trout		
EC50 - Crustacea [1]	> 1000 mg/l Daphnia magna		
EC50 72h - Algae [1]	> 1000 mg/l Algae (Pseudokirchneriella subcapitata)		
12.2. Persistence and degradability			
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)		
Persistence and degradability	Not readily biodegradable.		
Biodegradation	31 % OECD TG 301 F (28d)		
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)		
Biodegradation	31 % OECD 301F (28d)		
Lubricating oils; Baseoil— unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C15 through C50.] (74869-22-0)			
Biodegradation	31 % 28 Days OECD TG 301 B		
Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivs., calcium salts (2:1) (83846-43-9)			
Biodegradation	63 % 56 d		
12.3. Bioaccumulative potential			
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 - 6		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Bioconcentration factor (BCF REACH)	260	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		

Waste treatment methods European List of Waste (LoW, EC 2000/532) Dispose of contents/container in accordance with licensed collector's sorting instructions.
 13 02 05\* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information				
ADN	RID			
14.1. UN number or ID number				
Not regulated	Not regulated			
'	,			
Not regulated	Not regulated			
	·			
Not regulated	Not regulated			
14.5. Environmental hazards				
Not regulated	Not regulated			
No supplementary information available				

Overland transport

Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes				
Section	Changed item	Change	Comments	
	Revision date	Modified		
	Supersedes	Modified		
6.1	General measures	Added		
10.5	Incompatible materials	Added		
13.1	European List of Waste (LoW, EC 2000/532)	Added		

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
EUH208	Contains Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivs, calcium salts (2:1)(83846-43-9). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H317	May cause an allergic skin reaction.	
Skin Sens. 1	Skin sensitisation, Category 1	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.