

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 28/02/2014 Revision date: 04/07/2023 Supersedes version of: 25/04/2023 Version: 4.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form

Product name Product code

:	Mixture
:	42010 - RACING OIL 10W-60
:	42010

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public Main use category Function or use category

: Industrial use, Professional use, Consumer use

1.2.2. Uses advised against

: Lubricants and additives

#### No additional information available

#### 1.3. Details of the supplier of the safety data sheet

77 Lubricants B.V. NL- 1761 JA The Netherlands T +31 (0)78 6527652 technical@77lubricants.nl - www.77lubricants.nl

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] EUH-statements : EUH208 - Contains C14-16-18 Alkyl phenol. May produce an allergic reaction. EUH210 - Safety data sheet available on request. 2.3. Other hazards Other hazards which do not result in classification : Flammable liquids. Prolonged or repeated skin contact with the material will remove natural

oils which leads to a dermatitis. Spills of this product present a serious slipping hazard.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Decene,homopolymer,hydrogenated substance with national workplace exposure limit(s) (BG)	CAS-No.: 68037-01-4 EC-No.: 500-183-1 REACH-no: 01-2119486452- 34	≥ 55 – < 75	Not classified
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥1-<5	Not classified
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil substance with a Community workplace exposure limit	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13	≥1-<5	Asp. Tox. 1, H304
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GR, HU, IE, LT, LV, NL, PL, PT, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 72623-86-0 EC-No.: 276-737-9 EC Index-No.: 649-482-00-X REACH-no: 01-2119474878- 16	≥1-<5	Asp. Tox. 1, H304
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	≥ 0.3 – < 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	≥ 0.1 – < 3	Not classified
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil	CAS-No.: 64742-70-7 EC-No.: 265-174-4 EC Index-No.: 649-477-00-2 REACH-no: 01-2119487080- 42	≥ 0.1 – < 3	Asp. Tox. 1, H304

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent-dewaxed light paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132- 48	≥ 0.1 – < 3	Asp. Tox. 1, H304
C14-16-18 Alkyl phenol	EC-No.: 931-468-2 REACH-no: 01-2119498288- 19	≥ 0.1 – < 1	Skin Sens. 1B, H317 STOT RE 2, H373

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	(6.25 ≤ C < 100) Skin Irrit. 2, H315 (10 ≤ C < 12.5) Eye Irrit. 2, H319 (12.5 ≤ C < 100) Eye Dam. 1, H318	

Full text of H- and EUH-statements: see section 16

# SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after ingestion	<ul> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a water jet since it may cause the fire to spread.</li></ul>		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Precautionary measures fire Firefighting instructions Protection during firefighting	<ul> <li>Exercise caution when fighting any chemical fire.</li> <li>Use water spray or fog for cooling exposed containers.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment Emergency procedures	<ul><li>Wear recommended personal protective equipment.</li><li>Ventilate spillage area.</li></ul>
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Wear suitable protective clothing, gloves and eye/face protection. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment	nt and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up Other information	<ul> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling :	Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes.
Handling temperature :	≤ 40 °C
Hygiene measures :	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	y incompatibilities
Technical measures :	Provide local exhaust or general room ventilation.
Storage conditions :	Store in a well-ventilated place. Keep cool.
Storage temperature :	≤ 40 °C
Storage area :	Store in a well-ventilated place. Store away from heat.
Special rules on packaging :	Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	5 mg/m³
IOEL STEL	10 mg/m <sup>3</sup>

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	
Lubricating oils (petroleum), C15-30, hydrotre	ated neutral oil-based (72623-86-0)	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
IOEL STEL	10 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	
WEL STEL (OEL STEL)	10 mg/m³	
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m <sup>3</sup> ACGIH TLV (inhalable fraction)	
8.1.2. Recommended monitoring procedures		

o. 1.2. Recommended monitoring procedu

No additional information available

8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment: Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

#### 8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	6 (> 480 minutes)	>0.35		EN ISO 374

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light brown.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -45 °C (ASTM D7346)
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 201 °C (ASTM D92)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 168 mm²/s @ 40°C (ASTM D7042)
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 848 kg/m³ @ 15°C (ASTM D4052)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 9.2.2. Other safety characteristics

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity (oral): Not classifiedAcute toxicity (dermal): Not classifiedAcute toxicity (inhalation): Not classified				
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)	} bis dithiophosphate) (93819-94-4)			
LD50 oral (rat)	2600 mg/kg bw/day Tested according to Annex V of Directive 67/548/EEC			
LD50 dermal (rabbit)	> 3160 mg/kg bodyweight OECD Test Guideline 402			
LC50 inhalation (rat) (mg/l)	> 2 mg/l (1h) - OECD403			
Lubricating oils (petroleum), C20-50, hydrotre	ated neutral oil (72623-87-1)			
LD50 oral (rat)	> 5000 mg/kg			
LD50 dermal (rabbit)	> 2000 mg/kg			
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h			
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)			
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test			
LD50 dermal (rabbit)	> 2000 mg/kg 402 Acute Dermal Toxicity Test			
LC50 inhalation (rat) (mg/l)	> 5000 mg/l/4h			
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test			
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)				
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test			
LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test			
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test			

# Safety Data Sheet

Serious eye damage/irritation: Not classifiedRespiratory or skin sensitisation: Not classifiedGerm cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSTOT-single exposure: Not classified	C14-16-18 Alkyl phenol			
Distiliates (petroleum), solvent-dewaxed he>ry paraffinic (64742-65-0)           LD50 oral (rat)         > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test           LD50 dermal (rabit)         > 5000 mg/kg 402 Acute Inhalation Toxicity Test           LD50 inhalation (rat) (Vapours - mg/l4h)         > 550 mg/l4h 403 Acute Inhalation Toxicity Test           Paraffin olis (petroleum), catalytic dewaxed lexy: Baseoil (64742-70-7)         LD50 oral (rat)           LD50 oral (rat)         > 5000 mg/kg           LC50 inhalation (rat) (Dust/Mist - mg/l4h)         5 mg/l4h           Distiliates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)         LD50 oral (rat)           LD50 oral (rat)         > 5000 mg/kg           LC50 inhalation (rat) (Vapours - mg/l4h)         > 5000 mg/kg           LC50 inhalation (rat) (Vapours - mg/l4h)         > 2000 mg/kg           LC50 inhalation (rat) (Dust/Mist - mg/l4h)         > 5000 mg/kg           LC50 inhalation (rat) (Dust/Mist - mg/l4h)         > 5000 mg/kg           LC50 inhalation (rat) (Dust/Mist - mg/l4h)         > 5 2 mg/l4h           Sint consoin/mation         : Not classified           Respiratory or skin sensitisation         : Not classified           Carcinogenity         : Not classified           Sint consoin/mation         : Not classified           Sintorosy diamage//mation         : Not classified<	LD50 oral (rat)	> 2000 mg/kg bodyweight		
L050 ora (rat)         > 6000 mg/kg bodyweight 401 Acute Oral Toxicity Test           L050 demal (rabbit)         > 5000 mg/kg 402 Acute Demal Toxicity Test           Paraffin Olis (petroleum), catalytic dewaxed         > 533 mg/44 h03 Acute Inhalation Toxicity Test           D150 ora (rat)         > 5000 mg/kg           L050 ora (rat)         > 2000 mg/kg           L050 ora (rat)         > 6000 mg/kg           L050 ora (rat)         > 5000 mg/kg           L050 ora (rat)         > 5000 mg/kg           D150 ora (rat)         > 5000 mg/kg bodyweight           L050 ora (rat)         > 6000 mg/kg           L050 ora (rat)         > 6000 mg/kg           L050 ora (rat)         > 52 mg/4h	LD50 dermal (rat)	> 2000 mg/kg		
L050 demai (rabbit)         > 5000 mg/kg 402 Acute Demai Toxicity Test           L050 inhalation (rat) (Vapours - mg/k4h)         > 5.53 mg/k4h 403 Acute Inhalation Toxicity Test           Parafin oils (potroleum), catalytic dewaxed b====================================	Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
LC60 inhalation (rat) (Vapours - mg/l4h)         > 5.53 mg/l4h 403 Acute Inhalation Toxicity Test           Paraffin oils (potroleum), catalytic dowaxed towaxed light paraffinic (64742-70-7)            LD50 oral (rat)         > 5000 mg/kg           LD50 inhalation (rat) (Dust/Mist - mg/l4h)         5 mg/l4h           Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)            LD50 oral (rat)         > 5000 mg/kg           LD50 oral (rat)         > 5000 mg/kg           LC50 inhalation (rat) (Vapours - mg/l4h)         > 218 mg/l4h           1-Decene, homopolymer, hydrogenated (68037-01-4)            LD50 oral (rat)         > 5000 mg/kg           LC50 inhalation (rat) (Dust/Mist - mg/l4h)         > 5.2 mg/l4h           LD50 oral (rat)         > 5000 mg/kg           LC50 inhalation (rat) (Dust/Mist - mg/l4h)         > 5.2 mg/l4h           LD50 oral (rat)         > 5000 mg/kg           LC50 inhalation (rat) (Dust/Mist - mg/l4h)         > 5.2 mg/l4h           Skin conson/irritation         Not classified           Respiratory or skin sensitisation         Not classified           Carcinogenicity         Not classified           StO1-respeated exposure         Not classified           StO1-respeated exposure         Not classified           StO1-respeated exposure	LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test		
Paraffin olis (petroleum), catalytic dewaxed heavy: Baseoli (64742-70-7)           LD50 oral (rat)         > 5000 mg/kg           LD50 dermal (rabbit)         > 2000 mg/kg           LD50 dermal (rabbit)         > 5000 mg/kg           LD50 dermal (rabbit)         > 5000 mg/kg           LD50 dermal (rat)         > 5000 mg/kg bodyweight           LD50 dermal (rat)         > 5000 mg/kg bodyweight           LD50 dermal (rat)         > 5000 mg/kg           LC50 inhalation (rat) (Vapours - mgi/4h)         > 2.18 mgi/4h           1-Decone,homopolymer,hydrogenatod (68037-01-4)         LD50 dermal (rat)           LD50 oral (rat)         > 5000 mg/kg           LC50 inhalation (rat) (Dust/Mist - mgi/4h)         > 5.2 mgi/4h           Skin corroson/irritation         : Not classified           Germ age/initiation         : Not classified           Germ age/initiation         : Not classified           Carrinogenicity         : Not classified           StOT - repeated exposure         : Not classified           StOT - repeated exposure         : Not classified           Zinch big/O-Ge-methylinophyl): bis (O(sec-butyl): bis dithiophosphate) (93819-94-4)           NOAEL (oral, rat, 90 days)         126 mg/kg bodyweight Animai: rat, Auideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Screening Test)           LD4ricating oils	LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test		
LD50 oral (rat)         > 5000 mg/kg           LD50 dermal (rabbit)         > 2000 mg/kg           LD50 oral (rat)         5 mg/l4h           Distillates (petroleum), solvent-dewaxed light>==rifinic (64742-56-9)         Image: Comparison of Co	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test		
L050 demai (rabbit)         > 2000 mg/kg           L050 inhalation (rat) (Dust/Mist - mg/l/4h)         5 mg/l/4h           Distillates (petroleum), solvent-dewaxed light = raffinic (64742-56-9)         > 5000 mg/kg bodyweight           L050 demai (rat)         > 5000 mg/kg           L050 distillates (petroleum), solvent-dewaxed (88037-01-4)         > 5000 mg/kg           L050 distillates (rat)         > 52 mg/l/4h           1-Decene, homopolymer, hydrogenated (88037-01-4)            L050 distillates (rat)         > 52 mg/l/4h           1-Decene, homopolymer, hydrogenated (88037-01-4)            L050 distillates (rat)         > Not classified           Serious eye damage/irritation         : Not classified           Serious eye damage/irritation         : Not classified           Carcinogenicity         : Not classified           StOT-single exposure         : Not classified           StOT-single exposure         : Not classified           StOT-single exposure         : Not classified	Paraffin oils (petroleum), catalytic dewaxed h	eavy; Baseoil (64742-70-7)		
LCS0 inhalation (rat) (Dust/Mist - mg/l/4h)         5 mg/l/4h           Distillates (petroleum), solvent-dewaxed light = refinic (64742-56-9)         5 000 mg/kg bodyweight           LDS0 oral (rat)         > 5000 mg/kg bodyweight           LDS0 demal (rat)         > 5000 mg/kg           1050 demal (rat)         > 2.18 mg/l/4h           1050 oral (rat)         > 5000 mg/kg           1050 oral (rat)         > 500 mg/kg           1050 oral (rat)         > 5000 mg/kg           1050 oral (rat)         > 5000 mg/kg           1050 oral (rat)         > 500 mg/kg           1050 oral (rat)         > 500 oral (rat)           1050 oral (rat)         > 500 oral (rat)           1050 oral (rat)         > 500 classified           1050 orage/ed exposure         > Not classified           1050 oral (rat, rat) 90 days)         160 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / De	LD50 oral (rat)	> 5000 mg/kg		
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)           LD50 oral (rat)         > 5000 mg/kg bodyweight           LD50 dermal (rat)         > 5000 mg/kg           LC50 inhalation (rat) (Vapours - mg/l/4h)         > 2.18 mg/l/4h           1-Decene, homopolymer, hydrogenated (68037-01-4)            LD50 oral (rat)         > 5000 mg/kg           LC50 inhalation (rat) (Dust/Mist - mg/l/4h)         > 5.2 mg/l/4h           Skin corrosion/irritation         > Not classified           Respiratory or skin sensitisation         : Not classified           Respiratory or skin sensitisation         : Not classified           Carcinogenicity         : Not classified           Reproductive toxicity         : Not classified           Stor-ingle exposure         : Not classified           Lobicating oils (petroleum), c20-50, hydroreated exposure         : Not classified           Lob	LD50 dermal (rabbit)	> 2000 mg/kg		
LD50 oral (rat)       > 5000 mg/kg bodyweight         LD50 dermal (rat)       > 5000 mg/kg         LC50 inhalation (rat) (Vapours - mg/l4h)       > 2.18 mg/l/4h         1-Decene,homopolymer,hydrogenated (68037	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	5 mg/l/4h		
LD50 dermal (rat)> 5000 mg/kgLC50 inhalation (rat) (Vapours - mg/l/4h)> 2.18 mg/l/4h <b>1-Decene,homopolymer,hydrogenated (6803</b> -U1-4)LD50 oral (rat)> 5000 mg/kgLC50 inhalation (rat) (Dust/Mist - mg/l/4h)> 5.2 mg/l/4hSkin corrosion/irritation: Not classifiedSerious eye damage/irritation: Not classifiedGern cell mutagenicity: Not classifiedGern cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedStOT-single exposure: Not classifiedSTOT-single exposure: Not classifiedSTOT-repeated exposure: Not classifiedZinc bis{O-(6-methylheptyl)) bis {O(sec-buty)}bis dthiophosphate) (93819-94-4)NOAEL (oral, rat, 90 days)160 mg/kg bodyweight Animal: rat, Guideline: CECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)Lubricating oils (petroleum), C20-50, hydrottext et neutral oil (72623-87-1)LOAEL (oral, rat, 90 days)125 mg/kg bodyweight/dayDistillates (petroleum), C15-30, hydrottext et neutral oil-based (72623-86-0)Lubricating oils (petroleum), C15-30, hydrottext et neutral oil-based (72623-86-0)LOAEL (oral, rat, 90 days)125 mg/kg bodyweightLubricating oils (petroleum), C15-30, hydrottext et neutral oil-based (72623-86-0)LOAEL (oral, rat, 90 days)125 mg/kg bodyweightLOAEL (oral, rat, 90 days)125 mg/kg bodyweightLOAEL (oral, rat, 90 days)125 mg/kg bodyweightLOAEL (oral, rat, 90 days)	Distillates (petroleum), solvent-dewaxed light	paraffinic (64742-56-9)		
LC50 inhalation (rat) (Vapours - mg/l/4h)       > 2.18 mg/l/4h         1-Decene,homopolymer,hydrogenated (68037-01-4)       LD50 oral (rat)       > 5000 mg/kg         LC50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.2 mg/l/4h       Still consision/irritation         Skin corrosion/irritation       Not classified       Serious eye damage/irritation       Not classified         Respiratory or skin sensitisation       Not classified       Serious eye damage/irritation       Not classified         Carcinogenicity       Not classified       Serious eye damage/irritation       Not classified         Stront respiratory or skin sensitisation       Not classified       Serious eye damage/irritation       Not classified         Carcinogenicity       Not classified       Serious eye damage/irritation       Not classified       Serious eye damage/irritation       Serious eye damage/irritation         StOT-single exposure       Not classified       Serious eye damage/irritation       Serious eye damage/irritation       Serious eyet classified         Zinc bis{O-(6-methylheptyl) bis {O(sec-buty) > is dithiophosphate) (93819-94-4)       NoAEL (oral, rat, 90 days)       160 mg/kg bodyweight Animal: rat, Cuideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         LoAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408	LD50 oral (rat)	> 5000 mg/kg bodyweight		
1-Decene, homopolymer, hydrogenated (68037-01-4)         LD50 oral (rat)       > 5000 mg/kg         LC50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.2 mg/l/4h         Skin corrosion/irritation       Not classified         Serious eye damage/irritation       Not classified         Respiratory or skin sensitisation       Not classified         Carcinogenicity       Not classified         Carcinogenicity       Not classified         Reproductive toxicity       Not classified         STOT-single exposure       Not classified         STOT-repeated exposure       Not classified         Zinc bis{O-(6-methylheptyl)} bis {O(sec-buty)}       bis dithiophosphate) (93819-94-4)         NOAEL (oral, rat, 90 days)       160 mg/kg bodyweight Animai: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         Lubricating oils (petroleum), C20-50, hydrot=tet neutral oil (72623-87-1)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animai: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrot=tet neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         Lubr	LD50 dermal (rat)	> 5000 mg/kg		
LD50 oral (rat)> 5000 mg/kgLC50 inhalation (rat) (Dust/Mist - mg/l/4h)> 5.2 mg/l/4hSkin corrosion/irritation: Not classifiedSerious eye damage/irritation: Not classifiedGerm cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedRespiratory or skin sensitisation: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSTOT-single exposure: Not classifiedSTOT-single exposure: Not classifiedZinc bis{O-(6-methylheptyl)) bis {O(sec-buty/)bis dithiophosphate) (93819-94-4)NOAEL (oral, rat, 90 days)160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)LOAEL (oral, rat, 90 days)125 mg/kg bodyweight/dayDistillates (petroleum), hydrotreated heavy parking bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408Lubricating oils (petroleum), C15-30, hydrotreted neutral oil-based (72623-86-0)LOAEL (oral, rat, 90 days)125 mg/kg bodyweightLOAEL (oral, rat, 90 days)125 mg/kg bodyweightLOAEL (oral, rat, 90 days)125 mg/kg bodyweightC14-16-18 Alkyl phenol125 mg/kg bodyweightSTOT-repeated exposureMay cause damage to organs (liver) through prolonged or repeated exposure.Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 2.18 mg/l/4h		
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.2 mg/l/4h         Skin corrosion/irritation       : Not classified         Serious eye damage/irritation       : Not classified         Germ cell mutagenicity       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Report to toxicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         STOT-single exposure       : Not classified         Zinc bis{O-(6-methylheptyl)) bis {O(sec-butyl)       bis dithiophosphate) (93819-94-4)         NOAEL (oral, rat, 90 days)       160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         Lubricating oils (petroleum), C20-50, hydrotrexted neutral oil (72623-87-1)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight/day         Distillates (petroleum), hydrotreated heavy partifinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrotrexted neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C14-6-18 Alklyl phenol	1-Decene,homopolymer,hydrogenated (68037	·-01-4)		
Skin corrosion/irritation       : Not classified         Serious eye damage/irritation       : Not classified         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         STOT-repeated exposure       : Not classified         STOT-repeated exposure       : Not classified         Dist(local, rat, 90 days)       160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         Lubricating oils (petroleum), C20-50, hydrott=tet neutral oil (72623-87-1)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), hydrotreated heavy p=tflinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrott=tet neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         Lubricating oils (petroleum), C15-30, hydroty       125 mg/kg bodyweight         C14-16-18 Alkyl phenol       125 mg/kg bodyweight         STOT-repea	LD50 oral (rat)	> 5000 mg/kg		
Serious eye damage/initiation       : Not classified         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         Stort-single exposure       : Not classified         Stort-single exposure       : Not classified         Zinc bis{O-(6-methylheptyl)) bis {O(sec-buty): bis dithiophosphate) (93819-94-4)         NOAEL (oral, rat, 90 days)       160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         Lubricating oils (petroleum), C20-50, hydrot:=vet neutral oil (72623-87-1)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), hydrotreated heavy :=vertifinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrot:=vertal oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C14-16-18 Alkyl phenol       Stort-repeated exposure         Stort-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed h	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.2 mg/l/4h		
Respiratory or skin sensitisation:Not classifiedGern cell mutagenicity:Not classifiedCarcinogenicity:Not classifiedReproductive toxicity:Not classifiedSTOT-single exposure:Not classifiedLoAEL (oral, rat, 90 days):160 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)IcaeLoAEL (oral, rat, 90 days)::LoAEL (oral, rat, 90 days)::LoAEL (oral, rat, 90 days)::LoAEL (oral, rat, 90 days)::LoAEL (oral, rat, 90 days)::STOT-repeated exposure:May cause damage to organs (liver) through prolonged	Skin corrosion/irritation :	Not classified		
Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)       bis dithiophosphate) (93819-94-4)         NOAEL (oral, rat, 90 days)       160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         Lubricating oils (petroleum), C20-50, hydrot=ted neutral oil (72623-87-1)       LOAEL (oral, rat, 90 days)         125 mg/kg bodyweight/day       125 mg/kg bodyweight/day         Distillates (petroleum), hydrotreated heavy =#finic (64742-54-7)       LOAEL (oral, rat, 90 days)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrot=ted neutral oil-based (72623-86-0)       LoAEL (oral, rat, 90 days)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C41-16-18 Alkyl phenol       125 mg/kg bodyweight         STOT-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)       Not cause damage to organs (liver) through prolonged or repeated exposure.	Serious eye damage/irritation :	Not classified		
Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         STOT-repeated exposure       : Not classified         Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)         NOAEL (oral, rat, 90 days)       160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         Lubricating oils (petroleum), C20-50, hydrotre-ted neutral oil (72623-87-1)       LOAEL (oral, rat, 90 days)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight/day         Distillates (petroleum), hydrotreated heavy p=rflinic (64742-54-7)       LOAEL (oral, rat, 90 days)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrotre-ted neutral oil-based (72623-86-0)       LOAEL (oral, rat, 90 days)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C14-16-18 Alkyl phenol       125 mg/kg bodyweight         STOT-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)       Not classified	Respiratory or skin sensitisation :	Not classified		
Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         STOT-repeated exposure       : Not classified         Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl-)> bis dithiophosphate) (93819-94-4)         NOAEL (oral, rat, 90 days)       160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         Lubricating oils (petroleum), C20-50, hydrotreeted neutral oil (72623-87-1)       Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight/day         Distillates (petroleum), hydrotreated heavy perfinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrotreeted neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C14-16-18 Alkyl phenol       125 mg/kg bodyweight         STOT-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)       125 mg/kg bodyweight	Germ cell mutagenicity :	Not classified		
STOT-single exposure       Not classified         STOT-repeated exposure       Not classified         Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)         NOAEL (oral, rat, 90 days)       160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)       Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight/day         Distillates (petroleum), hydrotreated heavy partifinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C14-16-18 Alkyl phenol       125 mg/kg bodyweight         STOT-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)       105	Carcinogenicity :	Not classified		
STOT-repeated exposure       : Not classified         Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)         NOAEL (oral, rat, 90 days)       160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         Lubricating oils (petroleum), C20-50, hydrotre-ted neutral oil (72623-87-1)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight/day         Distillates (petroleum), hydrotreated heavy perfinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrotre-ted neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrotre-ted neutral oil-based (72623-86-0)       125 mg/kg bodyweight         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         STOT-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)       Image: State Stat	Reproductive toxicity :	Not classified		
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)         NOAEL (oral, rat, 90 days)       160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         Lubricating oils (petroleum), C20-50, hydrotre=ted neutral oil (72623-87-1)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight/day         Distillates (petroleum), hydrotreated heavy pa=ffinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrotre=ted neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         LoAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrotre=ted neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C14-16-18 Alkyl phenol         STOT-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	STOT-single exposure :	Not classified		
NOAEL (oral, rat, 90 days)160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)LOAEL (oral, rat, 90 days)125 mg/kg bodyweight/dayDistillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)LOAEL (oral, rat, 90 days)125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)LOAEL (oral, rat, 90 days)125 mg/kg bodyweightC14-16-18 Alkyl phenolSTOT-repeated exposureMay cause damage to organs (liver) through prolonged or repeated exposure.Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	STOT-repeated exposure :	Not classified		
Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)Lubricating oils (petroleum), C20-50, hydrotreted neutral oil (72623-87-1)LOAEL (oral, rat, 90 days)125 mg/kg bodyweight/dayDistillates (petroleum), hydrotreated heavy partfinic (64742-54-7)LOAEL (oral, rat, 90 days)125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408Lubricating oils (petroleum), C15-30, hydrotreted neutral oil-based (72623-86-0)LOAEL (oral, rat, 90 days)125 mg/kg bodyweightC14-16-18 Alkyl phenol125 mg/kg bodyweightSTOT-repeated exposureMay cause damage to organs (liver) through prolonged or repeated exposure.Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)	} bis dithiophosphate) (93819-94-4)		
LOAEL (oral, rat, 90 days)125 mg/kg bodyweight/dayDistillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)LOAEL (oral, rat, 90 days)125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)LOAEL (oral, rat, 90 days)125 mg/kg bodyweightLOAEL (oral, rat, 90 days)125 mg/kg bodyweightC14-16-18 Alkyl phenolSTOT-repeated exposureMay cause damage to organs (liver) through prolonged or repeated exposure.Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	NOAEL (oral, rat, 90 days)			
Distillates (petroleum), hydrotreated heavy p=raffinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrotre=ted neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C14-16-18 Alkyl phenol       STOT-repeated exposure         May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)			
LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C14-16-18 Alkyl phenol         STOT-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day		
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C14-16-18 Alkyl phenol       STOT-repeated exposure         May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight         C14-16-18 Alkyl phenol         STOT-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408		
C14-16-18 Alkyl phenol         STOT-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)			
STOT-repeated exposure       May cause damage to organs (liver) through prolonged or repeated exposure.         Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	C14-16-18 Alkyl phenol			
	STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure.		
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight	Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight		

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	
1-Decene,homopolymer,hydrogenated (68037	-01-4)	
NOAEL (oral, rat, 90 days)	4159.4 mg/kg bodyweight/day	
NOAEL (subacute, oral, animal/male, 28 days)	6245 mg/kg bodyweight	
Aspiration hazard :	Not classified	
42010 - RACING OIL 10W-60		
Viscosity, kinematic	168 mm²/s @ 40°C (ASTM D7042)	
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)	} bis dithiophosphate) (93819-94-4)	
Viscosity, kinematic	3050 mm²/s @40°C	
Lubricating oils (petroleum), C20-50, hydrotre	ated neutral oil (72623-87-1)	
Viscosity, kinematic	47 mm²/s	
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
Viscosity, kinematic	98 (98 – 108) mm²/s @40°C	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)		
Viscosity, kinematic	1.99 – 847 mm²/s 40°C	
C14-16-18 Alkyl phenol		
Viscosity, kinematic	52 mm²/s @40°C	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Viscosity, kinematic	150 (1.99 – 847) mm²/s @40°C	
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil (64742-70-7)		
Viscosity, kinematic	19 mm²/s @40°C	
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)		
Viscosity, kinematic	1.99 – 847 mm²/s Temp.: '40°C	
1-Decene,homopolymer,hydrogenated (68037-01-4)		
Viscosity, kinematic 5.1 mm²/s @40°C		
11.2. Information on other hazards		

No additional information available

# **SECTION 12: Ecological information**

#### 12.1. Toxicity : The product is not considered harmful to aquatic organisms nor to cause long-term adverse Ecology - general effects in the environment. Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (chronic) Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) LC50 - Fish [1] 4.5 mg/l Oncorhynchus mykiss (Rainbow trout)

# Safety Data Sheet

Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)		
EC50 - Crustacea [1]	5.4 mg/l Daphnia magna (water flea) OECD Test Guideline 202	
EC50 96h - Algae [1]	2.1 mg/l Selenastrum capricornutum (green algae) OECD Test Guideline 201	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 Daphnia magna	
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)	
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)	
NOEC chronic algae	100 mg/l Pseudokirchneriella subcapitata (72h)	
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)	
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna	
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitat	
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)	
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)	
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)	
Lubricating oils (petroleum), C15-30, hydrotro	eated neutral oil-based (72623-86-0)	
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna	
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)	
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)	
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)	
C14-16-18 Alkyl phenol		
LC50 - Fish [1]	> 100 mg/l Cyprinus carpio	
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna	
EC50 72h - Algae [1]	> 100 mg/l Selenastrum capricornutum	
NOEC chronic algae	100 mg/l Selenastrum capricornutum (72h)	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna	
NOEC chronic fish	> 1000 mg/l Oncorhynchus mykiss (14d)	
NOEC chronic crustacea	> 10 mg/l Daphnia magna (21d)	
NOEC chronic algae	> 100 mg/l Pseudokirchneriella subcapitata (72h)	
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna	
NOEC chronic fish	≥ 1000 mg/l Oncorhynchus mykiss	
NOEC chronic crustacea	10 mg/l Daphnia magna	
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata	

# Safety Data Sheet

1-Decene,homopolymer,hydrogenated (68037-01-4)		
LC50 - Fish [1]	> 1000 mg/l	
EC50 - Crustacea [1]	> 1000 mg/l	
NOEC chronic crustacea	125 mg/l (21d)	
NOEC chronic algae	1000 mg/l (72h)	
12.2. Persistence and degradability		
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)	} bis dithiophosphate) (93819-94-4)	
Persistence and degradability	Not readily biodegradable.	
Biodegradation	1.5 % 28d - OECD 301 B	
Lubricating oils (petroleum), C20-50, hydrotre	eated neutral oil (72623-87-1)	
Biodegradation	31 %	
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)	
Persistence and degradability	Not readily biodegradable.	
Biodegradation	31 % OECD TG 301 F (28d)	
Lubricating oils (petroleum), C15-30, hydrotre	eated neutral oil-based (72623-86-0)	
Persistence and degradability	Not readily biodegradable.	
Biodegradation	31 % 28 d OECD 301F	
C14-16-18 Alkyl phenol		
Biodegradation	6 % OECD TG 301 B (28d)	
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)	
Biodegradation	31 % OECD 301F (28d)	
Distillates (petroleum), solvent-dewaxed light	paraffinic (64742-56-9)	
Persistence and degradability	Not readily biodegradable.	
Biodegradation	31 % OECD 301F	
1-Decene,homopolymer,hydrogenated (68037	·-01-4)	
Persistence and degradability	Not readily biodegradable.	
12.3. Bioaccumulative potential		
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)		
Partition coefficient n-octanol/water (Log Pow)	0.9 @ 23°C	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6	
C14-16-18 Alkyl phenol		
Partition coefficient n-octanol/water (Log Kow)	> 7.2	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Bioconcentration factor (BCF REACH)	260	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil		
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)		
Ecology - soil	Adsorbs into the soil.	
Lubricating oils (petroleum), C15-30, hydrotre	ated neutral oil-based (72623-86-0)	
Ecology - soil	Adsorbs into the soil.	
Distillates (petroleum), solvent-dewaxed light	paraffinic (64742-56-9)	
Ecology - soil	Adsorbs into the soil.	
12.5. Results of PBT and vPvB assessment		

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose of contents/container to hazardous or special waste collection point, in accordance</li> </ul>
European List of Waste (LoW, EC 2000/532)	<ul> <li>with local, regional, national and/or international regulation.</li> <li>13 02 06* - synthetic engine, gear and lubricating oils</li> </ul>

## **SECTION 14: Transport information**

		ADN	RID
ımber	1		
name			
Not applicable	Not applicable	Not applicable	Not applicable
ass(es)	1		
Not applicable	Not applicable	Not applicable	Not applicable
	1		
Not applicable	Not applicable	Not applicable	Not applicable
ırds	,		
Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
	name Not applicable ass(es) Not applicable Not applicable ards Dangerous for the environment: No	name         Not applicable       Not applicable         ass(es)       Not applicable         Not applicable       Not applicable         Not applicable       Not applicable         Image: Dangerous for the environment: No       Dangerous for the environment: No	name         Not applicable       Not applicable       Not applicable         ass(es)       Not applicable       Not applicable         Not applicable       Not applicable       Not applicable         Not applicable       Not applicable       Not applicable         Image: Not applicable       Not applicable       Not applicable

14.6. Special precautions for user

Overland transport No data available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Transport by sea

No data available

Air transport No data available

Inland waterway transport No data available

#### Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

#### Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the Canadian DSL (Domestic Substances List) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECL/KECI (Korean Existing Chemicals Inventory)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# Safety Data Sheet

Γ

SECTION 16: Other information			
Indication of changes	Indication of changes		
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
2.2	EUH-statements	Added	
3	Composition/information on ingredients	Modified	
7.1	Precautions for safe handling	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.