

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 04/09/2023 Revision date: 31/03/2025 Supersedes version of: 15/02/2024 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 42670 - ENGINE OIL SUPER UHPD 10W-40

Product code : 42670

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

Function or use category : Lubricants and additives

1.3. Details of the supplier of the safety data sheet

77 Lubricants B.V. NL 1761 JA The Netherlands T +31 (0)78 6527652

technical@77lubricants.nl, www.77lubricants.nl

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil substance with a Community workplace exposure limit (Note L)	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13	≥ 55 – < 75	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 15 – < 45	Not classified
Distillates (petroleum), hydrotreated light paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH); substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077- 29	≥3-<5	Asp. Tox. 1, H304
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts substance with national workplace exposure limit(s) (CZ, DE, SK)	CAS-No.: 84605-29-8 EC-No.: 283-392-8 REACH-no: 01-2119493626- 26	≥ 0.5 – < 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	CAS-No.: 84605-29-8 EC-No.: 283-392-8 REACH-no: 01-2119493626- 26	(6.25 ≤ C < 100) Skin Irrit. 2; H315 (10 ≤ C < 12.5) Eye Irrit. 2; H319 (12.5 ≤ C < 100) Eye Dam. 1; H318	

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

31/03/2025 (Revision date) IE - en 2/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Will ignite if exposed to intensive heat.

Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use. Heat may build

pressure, rupturing closed containers, spreading fire and increasing risk of burns and

Reactivity in case of fire injuries.

: Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other

toxic gases.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Evacuate area

Firefighting instructions : Eliminate all ignition sources if safe to do so. Use water spray or fog for cooling exposed

containers. Do not enter fire area without proper protective equipment, including respiratory

protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and

public waters. Stop leak if safe to do so. Notify authorities if product enters sewers or public

waters. Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid any direct contact with the

product. Stop leaks if it can be done without personal risk.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : For large spills, confine the spill in a dike and charge it with wet sand or earth for

subsequent safe disposal. Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams. Stop leak without risks if possible.

31/03/2025 (Revision date) IE - en 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Methods for cleaning up : Take up liquid spill into absorbent material. Clear up spills immediately and dispose of

waste safely. Sweep or shovel spills into appropriate container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation. May be reused following decontamination. Clean contaminated surfaces with an excess of water.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Empty containers retain product residue and can be hazardous.

: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe fumes from fires or vapours from decomposition. Avoid breathing dust, fume, gas, mist, spray, vapours. Spilled

material may present a slipping hazard. Clean spills promptly.

Hygiene measures : Routine housekeeping should be instituted. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in a well-ventilated place. Keep cool. Store away from oxidising agents. Protect from sunlight. Store in original container. Always keep in containers made of the same material as the supply container. Do not store in open, inadequate, mislabled packaging. Opened

as the supply container. Do not store in open, inadequate, mislabled packaging. Opened containers must be carefully closed and kept upright to avoid leakage. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Empty

containers retain product residue and can be hazardous.

Storage temperature : ≤ 40 °C

Information on mixed storage : Store away from strong oxidizers, strong bases, strong acids.

Storage area : Store at ambient temperature.

Special rules on packaging : Keep container tightly closed and dry.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

Lubricant.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA 5 mg/m³		
IOEL STEL 10 mg/m³		
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		

IOEL TWA	5 mg/m ³
IOEL STEL	10 mg/m³

Ireland - Occupational Exposure Limits

OEL TWA	5 ppm Form: inhalable fraction
---------	--------------------------------

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA 5 mg/m³		
Ireland - Occupational Exposure Limits		
OEL TWA 5 ppm Form: Inhalable fraction		

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.35		EN ISO 374

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light brown. brown.
Odour : Not available
Odour threshold : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Melting point : Not applicable
Freezing point : -42 °C (ASTM D7346)
Boiling point : Not available
Flammability : Non flammable.
Lower explosion limit : Not available
Upper explosion limit : Not available

Flash point : > 201 °C (ASTM D92)

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available
it Not available

Viscosity, kinematic : 93.5 mm²/s @ 40°C (ASTM D7042)

Solubility : insoluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available

Vapour pressure at 50°C : Not available

Density : 870 kg/m³ @ 15°C (ASTM D4052)

Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)		
LD50 oral (rat) > 5000 mg/kg		
LD50 dermal (rabbit)	> 2000 mg/kg	
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH	Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)		
LC50 inhalation (rat) (mg/l) LC50 inhalation (rat) (Dust/Mist - mg/l4h) > 5 mg/l4h 403 Acute Inhalation Toxicity Test Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 demai (ratbit) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 demai (ratbit) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 demai (ratbit) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 demai (ratbit) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 demai (ratbit) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 demai (rat) (Dust/Mist - mg/l4h) > 5.33 mg/l4h 403 Acute Inhalation Toxicity Test Phosphorodithiolic acid, mixed Q,Q-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) LD50 demai (rat) > 2002 mg/kg OECD 402 LC50 inhalation (rat) (Vapours - mg/l4h) > 2.3 mg/l4h DECD 403 Skin corrosion/iritation > Not classified Phosphorodithiolic acid, mixed Q,Q-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) PH	LD50 oral (rat)	> 5000 mg/kg 401 Acute Oral Toxicity Test		
LC50 inhalation (rat) (Dust/Mist - mgt/4h) > 5 mgt/4h 403 Acute Inhalation Toxicity Test Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 darmal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mgt/4h) > 5 53 mgt/4h 403 Acute Inhalation Toxicity Test LD50 oral (rat) LD50 oral (rat) LD50 oral (rat) D50 oral (rat)	LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test		
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LD50 oral (rat)	LC50 inhalation (rat) (mg/l)	> mg/l		
LD50 oral (rat)	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5 mg/l/4h 403 Acute Inhalation Toxicity Test		
LD50 oral (rat)				
LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.5.3 mg/l/4h 403 Acute Inhalation Toxicity Test Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) LD50 oral (rat) 3150 mg/kg OECD 401 LD50 dermal (rat) > 2002 mg/kg OECD 402 LC50 inhalation (rat) (Vapours - mg/l/4h) > 2.3 mg/l/4h OECD 403 Sinc corrosion/iritation Not classified Phosphorodithiolic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH = 5 Serious eye damage/irritation Not classified Phosphorodithiolic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH = 5 Respiratory or skin sensitisation Not classified Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified STOT-repeated exposure Not classified STOT-repeated exposure Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithiolic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithiolic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight/day Anima				
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) LD50 oral (rat) 3150 mg/kg OECD 401 LD50 dermal (rat) > 2002 mg/kg OECD 402 LC50 inhalation (rat) (Vapours - mg/l/4h) > 2.3 mg/l/4h OECD 403 Skin corrosion/irritation Not classified Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH = 5 Serious eye damage/irritation Not classified Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH = 5 Respiratory or skin sensitisation Not classified Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified STOT-single exposure Not classified STOT-single exposure Not classified STOT-single exposure Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)				
LD50 oral (rat) LD50 dermal (rat) LD50 dermal (rat) > 2002 mg/kg OECD 402 LC50 inhalation (rat) (Vapours - mgil/4h) > 2.3 mg/l/4h OECD 403 Skin corrosion/irritation : Not classified Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH - 5 Serious eye damage/irritation : Not classified Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH - 5 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg OECD 403 Skin corrosion/irritation > 10 totassified Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg Oedyweight Divovalous Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test		
LD50 oral (rat) LD50 dermal (rat) LD50 dermal (rat) > 2002 mg/kg OECD 402 LC50 inhalation (rat) (Vapours - mgil/4h) > 2.3 mg/l/4h OECD 403 Skin corrosion/irritation : Not classified Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH - 5 Serious eye damage/irritation : Not classified Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH - 5 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg OECD 403 Skin corrosion/irritation > 10 totassified Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg Oedyweight Divovalous Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	Phosphorodithioic acid, mixed O,O-bis(1,3-di	methylbutyl and iso-Pr) esters, zinc salts (84605-29-8)		
LD50 dermal (rat)				
Skin corrosion/irritation : Not classified Phosphorodithiolc acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH		> 2002 mg/kg OECD 402		
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 2.3 mg/l/4h OECD 403		
pH	Skin corrosion/irritation :	Not classified		
Serious eye damage/irritation : Not classified Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH	Phosphorodithioic acid, mixed O,O-bis(1,3-di	methylbutyl and iso-Pr) esters, zinc salts (84605-29-8)		
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) pH = 5 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	рН	≈ 5		
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days)	Serious eye damage/irritation :	Not classified		
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)			
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	рН	≈ 5		
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Eubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,0-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	,			
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated Programme				
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)				
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)				
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,0-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)				
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)				
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)				
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)		
(Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)				
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard: Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic: 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	20, 22 (0.8.1, 1.8.1, 0.0 4.8.5.)			
(Repeated Dose 90-Day Oral Toxicity in Rodents) Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight Aspiration hazard: Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic: 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	Distillates (petroleum), hydrotreated light par	affinic (64742-55-8)		
NOAEL (subacute, oral, animal/male, 28 days) Aspiration hazard: Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic: 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	LOAEL (oral, rat, 90 days)			
Aspiration hazard : Not classified 42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	Phosphorodithioic acid, mixed O,O-bis(1,3-di	methylbutyl and iso-Pr) esters, zinc salts (84605-29-8)		
42670 - ENGINE OIL SUPER UHPD 10W-40 Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	NOAEL (subacute, oral, animal/male, 28 days)	160 mg/kg bodyweight		
Viscosity, kinematic 93.5 mm²/s @ 40°C (ASTM D7042) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	Aspiration hazard :	Not classified		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)	42670 - ENGINE OIL SUPER UHPD 10W-40			
	Viscosity, kinematic	93.5 mm²/s @ 40°C (ASTM D7042)		
Viscosity, kinematic 47 mm²/s	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)			
	Viscosity, kinematic	47 mm²/s		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Viscosity, kinematic 20.8 mm²/s @ 40°C		
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
Viscosity, kinematic < 20.5 mm²/s @40°C		
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)		
Viscosity, kinematic 407.6 mm²/s		

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

Not classified

Hazardous to the aquatic environment, long-term

NOEC chronic fish

NOEC chronic crustacea

NOEC chronic crustacea

: Not classified

(chronic)		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 Daphnia magna	
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)	
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)	
NOEC chronic algae 100 mg/l Pseudokirchneriella subcapitata (72h)		
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas (OECD 203)	
EC50 - Crustacea [1]	> 1000 mg/l Daphnia magna (OECD 202)	
EC50 72h - Algae [1] > 100 mg/l Pseudokirchneriella subcapitat (OECD 201)		

NOEC chronic algae	100 mg/l Pseudokirchneriella subcapitata (72h) (OECD 201)	
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)		
LC50 - Fish [1]	4.5 mg/l Oncorhynchus mykiss	
LC50 - Fish [2]	46 mg/l Cyprinodon variegatus	
EC50 - Crustacea [1]	23 mg/l Water flea (Daphnia magna) (OECD 202)	
EC50 72h - Algae [1]	21 mg/l Desmodesmus subspicatus	

1000 mg/l Oncorhynchus mykiss (14d) 10 mg/l Daphnia magna (21d) (OECD 211)

12.2. Persistence and degradability

42670 - ENGINE OIL SUPER UHPD 10W-40	
Persistence and degradability	Not rapidly degradable

0.4 mg/l Daphnia magna (21d) (OECD 211)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)		
Persistence and degradability	rsistence and degradability Rapidly degradable.	
Biodegradation	31 %	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Persistence and degradability	Rapidly degradable.	
Biodegradation	< 31 % OECD TG 301 F (28d)	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
Persistence and degradability	Inherently biodegradable.	
Biodegradation	31 % OECD TG 301 F (28d)	
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	1.5 % OECD TG 301 B (28d)	

12.3. Bioaccumulative potential

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)		
Partition coefficient n-octanol/water (Log Pow) > 6		
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
Partition coefficient n-octanol/water (Log Pow) > 6		
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)		
Partition coefficient n-octanol/water (Log Pow) 0.56		

12.4. Mobility in soil

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)	
Ecology - soil Adsorbs into the soil.	

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Recycle product or dispose safely. Recycle the material as far as possible. Recycle or

dispose of in compliance with current legislation. Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

European List of Waste (LoW, EC 2000/532) : 13 02 06* - synthetic engine, gear and lubricating oils

31/03/2025 (Revision date) IE - en 9/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not regulated for transport				
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Revision date	Modified
	Supersedes	Modified
1.1	Name	Added
3	Composition/information on ingredients	Modified
4.1	First-aid measures general	Added
4.1	First-aid measures for first aider	Added
4.2	Symptoms/effects after skin contact	Added
4.2	Symptoms/effects after inhalation	Added
4.2	Symptoms/effects after ingestion	Added
4.2	Symptoms/effects after eye contact	Added
5.3	Firefighting instructions	Added
6.1	General measures	Added
6.1	Emergency procedures	Added
6.3	For containment	Added
7.1	Handling temperature	Removed
7.1	Precautions for safe handling	Modified
7.2	Storage conditions	Modified
7.2	Technical measures	Added
7.2	Packaging materials	Added
8.2	Personal protective equipment	Added
9	Density	Modified
9	Flash point	Modified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes		
Section	Changed item	Comments
9	Freezing point	Modified
9	Viscosity, kinematic	Modified
13.1	Sewage disposal recommendations	Added
13.1	Waste disposal recommendations	Added
13.1	Regional waste regulation	Added
13.1	Additional information	Added

Abbreviations and acr	Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.