



# MOTORCYCLE OIL

## 4T 10W-40

### Product Description:

**MOTORCYCLE OIL 4T 10W-40** is a synthetic technology based 4-stroke gasoline engine oil developed specifically to meet the special requirements of latest high performance air and liquid cooled 4-stroke motorcycles. It provides excellent protection to engine, gearbox and wet clutch used in 4-stroke motorcycles and ensures highest degree of reliability even under severe operating conditions and temperatures.

**MOTORCYCLE OIL 4T 10W-40** is based on a high quality synthetic technology base oils in combination with a special selected additive package to obtain the following properties:

- Excellent anti-wear, anti-rust and anti-corrosion properties.
- Good thermo-and oxidative stability.
- Controlled frictional properties eliminate clutch slippage and improves drivability.
- Excellent dispersant and detergent properties.

**MOTORCYCLE OIL 4T 10W-40** meets the following performance criteria:

**API SN      JASO MA-2**



Property	Unit	Test Method	Typical Value
SAE Grade		SAE J300	10W-40
Density@15°C	kg/m <sup>3</sup>	ASTM D4052	855
Kin. Viscosity @40°C	mm <sup>2</sup> /s	ASTM D7042	88
Kin. Viscosity @100°C	mm <sup>2</sup> /s	ASTM D7042	13.8
Viscosity Index		ASTM D2270	162
Viscosity CCS @-25°C	cP	ASTM D5293	4500
Flash Point COC	°C	ASTM D92	>201
Pour Point	°C	ASTM D7346	-36
Total Base Number	mgKOH/g	ASTM D2896	9.1
Sulphated Ash	%Wt	ASTM D874	1.1

**Product Nr:** 42990

**Date Superseded:** 24-06-2021

**Date Issued:** 11-08-2022

**Revision nr:** 07