

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 15/12/2022 Revision date: 23/02/2024 Supersedes version of: 01/06/2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name

Product code

:	Mixture			

- : 43305 UNIVERSAL TRACTOR OIL 102
- : 43305

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Function or use category

: Industrial use, Professional use, Consumer use

1.2.2. Uses advised against

: Lubricants and additives

No additional information available

1.3. Details of the supplier of the safety data sheet

77 Lubricants B.V. NL- 1761 JA The Netherlands T +31 (0)78 6527652 technical@77lubricants.nl - www.77lubricants.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Hazardous to the aquatic environment - Chronic Hazard, H412 Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) N	No. 1272/2008 [CLP]
Signal word (CLP)	:-
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P103 - Read carefully and follow all instructions.
	P273 - Avoid release to the environment.
	P501 - Dispose of contents and container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EUH-statements

: EUH208 - Contains 2-tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 55 – < 75	Not classified
Dec-1-ene, dimers, hydrogenated substance with national workplace exposure limit(s) (GB, NL)	EC-No.: 500-228-5 REACH-no: 01-2119537268- 33	≥ 10	Acute Tox. 4 (Inhalation:dust,mist), H332 Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	≥5-<15	Not classified
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) substance with national workplace exposure limit(s) (DE, SK)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27	≥ 0.3 – < 3	Eye Dam. 1, H318 Aquatic Chronic 2, H411
2-tetradecyloxirane, reaction products with boric acid	EC-No.: 701-392-2 REACH-no: 01-2119976364- 28	≥ 0.3 – < 1	Skin Sens. 1B, H317
triphenyl phosphite	CAS-No.: 101-02-0 EC-No.: 202-908-4 EC Index-No.: 015-105-00-7 REACH-no: 01-2119511213- 58	< 0.3	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics substance with national workplace exposure limit(s) (NL); substance with a Community workplace exposure limit	EC-No.: 926-141-6 REACH-no: 01-2119456620- 43	< 0.1	Asp. Tox. 1, H304

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:				
Name	Product identifier	Specific concentration limits (%)		
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27	(50 ≤ C < 80) Eye Irrit. 2, H319 (80 ≤ C < 100) Eye Dam. 1, H318		
triphenyl phosphite	CAS-No.: 101-02-0 EC-No.: 202-908-4 EC Index-No.: 015-105-00-7 REACH-no: 01-2119511213- 58	(5 ≤ C < 100) Eye Irrit. 2, H319 (5 ≤ C < 100) Skin Irrit. 2, H315		

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact	Remove person to fresh air and keep comfortable for breathing.Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
10 11	

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a water jet since it may cause the fire to spread.
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Explosion hazard	 Will ignite if exposed to intensive heat. Not expected to be a fire/explosion hazard under normal conditions of use. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity in case of fire	: Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions	 Evacuate area. Eliminate all ignition sources if safe to do so. Use water spray or fog for cooling exposed containers.
Protection during firefighting	 Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equi	ipment and emergency procedures			
General measures	: Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and public waters.			
6.1.1. For non-emergency personnel				
Protective equipment	: Wear recommended personal protective equipment.			
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid any direct contact with the product. Stop leaks if it can be done without personal risk.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containmen	t and cleaning up			
For containment	For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal.			
Methods for cleaning up	: Take up liquid spill into absorbent material. Clear up spills immediately and dispose of waste safely. Sweep or shovel spills into appropriate container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation. May be reused following decontamination. Clean contaminated surfaces with an excess of water.			
Other information	: Dispose of materials or solid residues at an authorized site.			

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed Precautions for safe handling	 Empty containers retain product residue and can be hazardous. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe fumes from fires or vapours from decomposition. Avoid breathing dust, fume, gas, mist, spray, vapours. Ensure good ventilation of the work station. Spilled material may present a slipping hazard. Clean spills promptly. 			
Handling temperature Hygiene measures	 ≤ 40 °C Routine housekeeping should be instituted. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 			
7.2. Conditions for safe storage, include	ing any incompatibilities			
Technical measures : Provide local exhaust or general room ventilation. Storage conditions : Store in a well-ventilated place. Keep cool. Store away from oxidising agents. Protect from sunlight. Store in original container. Always keep in containers made of the same material as the supply container. Do not store in open, inadequate, mislabled packaging. Opened containers must be carefully closed and kept upright to avoid leakage. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Empty containers retain product residue and can be hazardous.				
Storage temperature	: ≤40 °C			
Information on mixed storage	: Store away from strong oxidizers, strong bases, strong acids.			
Storage area Special rules on packaging	Store at ambient temperature.Keep container tightly closed and dry.			
7.3. Specific end use(s)	: Keep container ugnuy closed and dry.			

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection				
8.1. Control parameters	8.1. Control parameters			
8.1.1 National occupational exposure and biological	limit values			
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)			
EU - Indicative Occupational Exposure Limit (IOEL)				
IOEL TWA	5 mg/m³			
United Kingdom - Occupational Exposure Limits				
WEL TWA (OEL TWA) [1]	5 mg/m³			
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)			
EU - Indicative Occupational Exposure Limit (IOEL)				
IOEL TWA	5 mg/m³			
IOEL STEL	10 mg/m³			
United Kingdom - Occupational Exposure Limits				
WEL TWA (OEL TWA) [1]	5 mg/m³			
WEL STEL (OEL STEL)	10 mg/m³			
Hydrocarbons, C11-C14, n-alkanes, isoalkane	s, cyclics, < 2% aromatics			
EU - Indicative Occupational Exposure Limit (IOEL)				
IOEL TWA	1200 mg/m³			
IOEL TWA [ppm]	165 ppm			
Dec-1-ene, dimers, hydrogenated				
United Kingdom - Occupational Exposure Limits				
WEL TWA (OEL TWA) [1]	1 mg/m³			
8.1.2. Recommended monitoring procedures				

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

9.1. Information on basic physical and chemical properties

Physical state	: Liguid
Colour	: light brown. brown.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -42 °C (ASTM D7346)
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 201 °C (ASTM D92)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 35 mm²/s @ 40°C (ASTM D7042)
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The product is non-reactive under normal conditions of use, storage and transport.

Vapour pressure Vapour pressure at 50°C Density Relative density Relative vapour density at 20°C	 Not available Not available 856 kg/m³ @ 15°C (ASTM D4052) Not available Not available
Particle characteristics	: Not available : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

10.1. Reactivity

10.2. Chemical stability Stable under normal conditions.

10.4. Conditions to avoid

10.5. Incompatible materials

Oxidizing agent.

SECTION 10: Stability and reactivity

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

None under recommended storage and handling conditions (see section 7).

10.6. Hazardous decomposition products			
Under normal conditions of storage and use, hazardous	Under normal conditions of storage and use, hazardous decomposition products should not be produced.		
SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined	in Regulation (EC) No 1272/2008		
	Not classified		
	Not classified Not classified		
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)		
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test		
LD50 dermal (rabbit)	> 2000 mg/kg 402 Acute Dermal Toxicity Test		
LC50 inhalation (rat) (mg/l)	> 5000 mg/l/4h		
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test		
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)			
LD50 oral (rat)	3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)		
LD50 dermal (rabbit)	> 5000 mg/kg OECD Guideline 402 (Acute Dermal Toxicity)		
2-tetradecyloxirane, reaction products with boric acid			
LD50 oral (rat)	> 16000 mg/kg		
LD50 oral (rat)	> 16000 mg/kg		

Safety Data Sheet

LD50 dermal (rat) > 2000 mg/kg Distiliates (petroloum), solvent-dewaxed heavy parafinic (64742-65-0) LD50 or (rat) > 5000 mg/kg bodyweight 41 Acute Oral Toxicity Test LD50 dermal (rabbt) > 553 mg/H4 002 Acute Inhibition Toxicity Test LD50 oral (rat) > 5500 mg/kg du2 Acute Inhibition Toxicity Test LD50 oral (rat) > 5500 mg/kg LD50 oral (rat) > 5500 mg/kg LD50 oral (rat) > 5000 mg/kg LD50 oral (rat) > 5000 mg/kg LD50 oral (rat) > 5000 mg/kg D60 oral (rat) > 2000 - 5000 mg/kg bodyweight Anmat: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 oral (rat) > 2000 mg/kg bodyweight Anmat: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 oral (rat) > 2000 mg/kg bodyweight Anmat: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 inhibition (rat) (Dust/Mist - mg/l4h) 900 - E200 mg/kg bodyweight Anmat: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 oral (rat) : Not classified Carcinagenicity Stronus eye damagenitation : Not classified Carcinagenicity Carcinagenicity : Not classified Carcinagenicity Stronus eye damagenitation : Not classified Carcinagenicity<	2-tetradecyloxirane, reaction products with boric acid			
LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5.53 mg/l4h 403 Acute Demail Toxicity Test Hydrocarbons, C11-C14, n-alkanes, Isoalkanes, cyclics, < 2% aromatics	LD50 dermal (rat) > 2000 mg/kg			
LD60 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Vapours - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)		
LC50 inhibitation (rst) (Vapours - mg/l4h) > 5.53 mg/l4h 403 Acute Inhibition Toxicity Test Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test		
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test		
LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (mg/t) > 5000 mg/kg bodyweight Dec-1-one, dimers, hydrogenated LD50 oral (rat) 2000 - 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 inhalation (rat) (Dust/Mist - mg/t/Ah) 900 - 5200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/t/Ah) 900 - 5200 mg/t/Ah Skin corrosion/inflation Not classified Resprintory or skin sensilisation Not classified Carcinogenicity Not classified Reproductive toxicity Not classified STOT-single exposure Not classified STOT-repeated exposure 125 mg/kg bodyweight Animal: rat, Animal sex: male. Guideline: OECD Guideline 408 Zinc bis[O, O-bis[2-ethylhexyl]) bis(dithlophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) NOAEL (oral, rat, 90 days) <t< td=""><td>LC50 inhalation (rat) (Vapours - mg/l/4h)</td><td>> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test</td></t<>	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test		
LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (mg/l) > 5000 mg/m² 8 Hrs Dec-1-ene, dimers, hydrogenated 2000 - 5000 mg/kg bodyweight LD50 oral (rat) 2000 - 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal (rat) 900 - 5200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 900 - 5200 mg/l/4h Skin corrosolov/initiation : Not classified Respiratory or skin sensitisation : Not classified Respiratory or skin sensitisation : Not classified Carrinogenicity : Not classified Reproductive toxicity : Not classified STOT-inge personer : Not classified STOT-inge posure : Not classified <td>Hydrocarbons, C11-C14, n-alkanes, isoalkane</td> <td>s, cyclics, < 2% aromatics</td>	Hydrocarbons, C11-C14, n-alkanes, isoalkane	s, cyclics, < 2% aromatics		
LC50 inhalation (nt) (mg/l) > 5000 mg/m² 8 Hrs Dec-1-ene, dimers, hydrogenated ID50 oral (nt) 2000 – 5000 mg/kg bodyweight LD50 drai (nt) > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg1/4h) 900 – 5000 mg/kg Serious eve damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Strot-respiratory or skin sensitisation : Not classified Carcinogenicity : Not classified Strot-respetate exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 Zinc bis[O,O-bis[2-ethylhexyl)] bis[dithiophosphate) (4259-15-8) NoAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) Viscosity, kinem	LD50 oral (rat)	> 5000 mg/kg		
Dec-1-ene, dimers, hydrogenated LD50 oral (rat) 2000 – 5000 mg/kg bodyweight LD50 dermal (rat) > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 900 – 5200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 900 – 5200 mg/kg Skin corrosion/inflation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Strol - septe exposure : Not classified STOT- single exposure : Not classified STOT- repeated exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) L25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 Zinc bis[O, O-bis[2-ethylhexyl]] bis[dithiophosphate] (4259-15-8) NAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 da	LD50 dermal (rabbit)	> 5000 mg/kg		
LD50 oral (rat) 2000 – 5000 mg/kg bodyweight LD50 dermal (rat) > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l4h) 900 – 5200 mg/l4h Skin corrosion/inflation : Not classified Serious eye damage/initation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified StoT-single exposure : Not classified STOT-single exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis[0, O-bis[2-ethylhexyl]) bis[dithiophosphate] (4259-15-8) NOAEL (oral, rat, 90 days) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic	LC50 inhalation (rat) (mg/l)	> 5000 mg/m³ 8 Hrs		
LD50 dermal (rat) > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l4h) 900 – 5200 mg/l4h Skin corrosion/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified Distillates devosure : Not classified Zinc bis[0, O-bis[2-ethylhexyll)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 UNIVERSAL TRACTOR OIL 102 Yiscosity, kinematic Viscosity, kinematic 98 (98 - 108) mm²/s @40°C Zinc bis[0,0-bis[2-ethylhexyll]) bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 98 (98 - 108) mm²/s @40°C Zinc bis[0,0-bis[2-ethylhexyll] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 1316 mm²/s	Dec-1-ene, dimers, hydrogenated			
Toxicity) Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 900 - 5200 mg/l/4h Skin corrosion/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic 35 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @ 40°C Zinc bis[O,O-bis[2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131 f mm²/s @ 40°C	LD50 oral (rat)	2000 – 5000 mg/kg bodyweight		
Skin corrosion/irritation Not classified Serious eye damage/irritation Not classified Respiratory or skin sensitisation Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Carcinogenicity Not classified Carcinogenicity Not classified StoTo-single exposure Not classified STOT-single exposure Not classified Stota (art, at, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard <td< td=""><td>LD50 dermal (rat)</td><td></td></td<>	LD50 dermal (rat)			
Serious eye damage/initation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) I25 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiopho=phate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed hea=v paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Zinc bis[O,O-bis[2-ethylhexyl]] bis(dithiopho=phate) (4259-15-8) Viscosity, kinematic	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	900 – 5200 mg/l/4h		
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy p=ffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiopho=p+ate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy p=raffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy p=raffinic (64742-65-0) Viscosity, kinematic 131.6 mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy p=raffinic (64				
Gern cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy = finic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiopho=tel (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy = raffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 125 mg/kg bodyweight Viscosity, kinematic 35 mm ³ /s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy = finic (64742-54-7) 125 cosity, kinematic Viscosity, kinematic 98 (98 – 108) mm ³ /s @ 40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiopho=b+tel) (4259-15-8) 125 cosity, kinematic Viscosity, kinematic 131.6 mm ³ /s @ 40°C Distillates (petroleum), solvent-dewaxed heavy = paraffinic (64742-65-0)				
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis(O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64				
Reproductive toxicity : Not classified STOT-single exposure : Not classified Distillates (petroleum), hydrotreated heavy partfinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy partfinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Viscosity, kinematic 35 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy partfinic (64742-65-7) Viscosity, kinematic 98 (98 – 108) mm²/s @ 40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 98 (98 – 108) mm²/s @ 40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @ 40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 130.6 mm²/s @ 40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosi	• •			
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy partffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis[0,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic Viscosity, kinematic 35 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-65-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Zinc bis[0,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C				
STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Asspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic Viscosity, kinematic 35 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)				
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic Viscosity, kinematic 35 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C <				
Zinc bis[0, 0-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic Viscosity, kinematic 35 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Zinc bis[0, 0-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C	· ·	araffinic (64742-54-7)		
NOAEL (oral, rat, 90 days)125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents)Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)LOAEL (oral, rat, 90 days)125 mg/kg bodyweightAspiration hazard: Not classified43305 - UNIVERSAL TRACTOR OIL 102Viscosity, kinematic35 mm²/s @ 40°C (ASTM D7042)Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)Viscosity, kinematic98 (98 – 108) mm²/s @40°CZinc bis[0,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)Viscosity, kinematic131.6 mm²/s @40°CDistillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)Viscosity, kinematic131.6 mm²/s @40°C	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408		
Day Oral Toxicity Study in Rodents)Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)LOAEL (oral, rat, 90 days)125 mg/kg bodyweightAspiration hazard: Not classified43305 - UNIVERSAL TRACTOR OIL 102Viscosity, kinematicViscosity, kinematic35 mm²/s @ 40°C (ASTM D7042)Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)Viscosity, kinematic98 (98 – 108) mm²/s @40°CZinc bis[0,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)Viscosity, kinematic131.6 mm²/s @40°CDistillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)Viscosity, kinematic150 (1.99 – 847) mm²/s @40°CHydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos	phate) (4259-15-8)		
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic 35 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	NOAEL (oral, rat, 90 days)			
Aspiration hazard : Not classified 43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic 35 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Zinc bis[0,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Distillates (petroleum), solvent-dewaxed heav	Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
43305 - UNIVERSAL TRACTOR OIL 102 Viscosity, kinematic 35 mm²/s @ 40°C (ASTM D7042) Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight		
Viscosity, kinematic35 mm²/s @ 40°C (ASTM D7042)Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)Viscosity, kinematic98 (98 – 108) mm²/s @40°CZinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)Viscosity, kinematic131.6 mm²/s @40°CDistillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)Viscosity, kinematic150 (1.99 – 847) mm²/s @40°CHydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Aspiration hazard :	Not classified		
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	43305 - UNIVERSAL TRACTOR OIL 102			
Viscosity, kinematic98 (98 – 108) mm²/s @40°CZinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)Viscosity, kinematic131.6 mm²/s @40°CDistillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)Viscosity, kinematic150 (1.99 – 847) mm²/s @40°CHydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Viscosity, kinematic	35 mm²/s @ 40°C (ASTM D7042)		
Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
Viscosity, kinematic 131.6 mm²/s @40°C Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Viscosity, kinematic	98 (98 – 108) mm²/s @40°C		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)			
Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Viscosity, kinematic	131.6 mm²/s @40°C		
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
	Viscosity, kinematic	150 (1.99 – 847) mm²/s @40°C		
Viscosity, kinematic 2.4 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics			
	Viscosity, kinematic	2.4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dec-1-ene, dimers, hydrogenated		
Viscosity, kinematic 5 mm²/s @40°C		
11.2 Information on other bazards		

No additional information available

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general : Harmful to aquatic life with long lasting effects. Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects. (chronic) Not rapidly degradable			
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas		
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna		
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitat		
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)		
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)		
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)		
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos	phate) (4259-15-8)		
LC50 - Fish [1]	4.4 mg/l Oncorhynchus mykiss		
EC50 - Crustacea [1]	75 mg/l Daphnia magna		
EC50 72h - Algae [1]	410 mg/l Desmodesmus subspicatus		
NOEC chronic crustacea	0.4 mg/l Daphnia magna (21d)		
NOEC chronic algae	220 mg/l Scenedesmus quadricauda (72h)		
2-tetradecyloxirane, reaction products with bo	pric acid		
LC50 - Fish [1]	> 100 mg/l Rainbow trout		
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna		
EC50 72h - Algae [1]	> 100 mg/l Selenastrum capricomutum		
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)		
triphenyl phosphite (101-02-0)			
EC50 - Crustacea [1]	0.94 mg/l Daphnia magna		
EC50 72h - Algae [1]	> 100 mg/l Scenedesmus quadricauda		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
LC50 - Fish [1]	> 100 mg/l Pimephales promelas		
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna		
NOEC chronic fish	> 1000 mg/l Oncorhynchus mykiss (14d)		
NOEC chronic crustacea	> 10 mg/l Daphnia magna (21d)		
NOEC chronic algae	> 100 mg/l Pseudokirchneriella subcapitata (72h)		

Safety Data Sheet

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics			
LC50 - Fish [1] > 1000 mg/l Oncorhynchus mykiss			
EC50 - Crustacea [1]	> 1000 mg/l Daphnia magna		
EC50 72h - Algae [1]	> 1000 mg/l Pseudokirchneriella subcapitata		
Dec-1-ene, dimers, hydrogenated			
LC50 - Fish [1]	1000 mg/l		
EC50 - Crustacea [1]	1000 mg/l		
EC50 72h - Algae [1]	1000 mg/l		
12.2. Persistence and degradability			
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)		
Persistence and degradability	Not readily biodegradable.		
Biodegradation	31 % OECD TG 301 F (28d)		
Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophos	phate) (4259-15-8)		
Persistence and degradability	Not readily biodegradable.		
Biodegradation	< 5 % OECD TG 301 D (28d)		
2-tetradecyloxirane, reaction products with be	oric acid		
Biodegradation	17.3 % (28d)		
triphenyl phosphite (101-02-0)			
Biodegradation	0.14 % OECD TG 301 D (28d)		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
Biodegradation	31 % OECD 301F (28d)		
Hydrocarbons, C11-C14, n-alkanes, isoalkane	s, cyclics, < 2% aromatics		
Biodegradation	69 % OECD 301F (28d)		
Dec-1-ene, dimers, hydrogenated			
Biodegradation	50 % 28 D		
12.3. Bioaccumulative potential			
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
Partition coefficient n-octanol/water (Log Pow) 3.9 – 6			
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)			
Partition coefficient n-octanol/water (Log Kow)	3.6		
2-tetradecyloxirane, reaction products with boric acid			
Partition coefficient n-octanol/water (Log Kow)	9.4		
triphenyl phosphite (101-02-0)			
Partition coefficient n-octanol/water (Log Kow) 6.62 @ 25°C			
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
Bioconcentration factor (BCF REACH)	260		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil
No additional information available
12.5. Results of PBT and vPvB assessment
No additional information available
12.6. Endocrine disrupting properties
No additional information available
12.7. Other adverse effects
No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods Sewage disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be done according to official regulations. 		
Product/Packaging disposal recommendations European List of Waste (LoW, EC 2000/532)	 Recycle product or dispose safely. Recycle the material as far as possible. Recycle or dispose of in compliance with current legislation. 07 07 99 - wastes not otherwise specified 		
HP Code	: HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.		
	HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment		

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
Not regulated for transport				
14.2. UN proper shipping	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Air transport Not regulated

Inland waterway transport

Not regulated

Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added	

Safety Data Sheet

Indication of changes				
Section	Changed item	Change	Comments	
2.1	Adverse physicochemical, human health and environmental effects	Modified		
2.2	Precautionary statements (CLP)	Added		
2.2	Hazard statements (CLP)	Added		
3	Composition/information on ingredients	Modified		
5.2	Reactivity in case of fire	Added		
5.2	Fire hazard	Added		
5.2	Explosion hazard	Added		
5.3	Precautionary measures fire	Modified		
5.3	Firefighting instructions	Modified		
6.1	General measures	Added		
6.1	Emergency procedures	Modified		
6.3	For containment	Modified		
6.3	Methods for cleaning up	Modified		
7.1	Additional hazards when processed	Added		
7.1	Precautions for safe handling	Modified		
7.1	Hygiene measures	Modified		
7.2	Information on mixed storage	Added		
7.2	Storage area	Modified		
7.2	Special rules on packaging	Modified		
7.2	Storage conditions	Modified		
9.1	Colour	Added		
9.1	Viscosity, kinematic	Modified		
9.1	Freezing point	Modified		
9.1	Flash point	Modified		
9.1	Density	Modified		
10.5	Incompatible materials	Added		
12.1	Ecology - general	Modified		
13.1	Waste disposal recommendations	Added		
13.1	Sewage disposal recommendations	Added		

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	

Safety Data Sheet

Abbreviations and acronyms:		
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains 2-tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1B	Skin sensitisation, category 1B	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.