



PETROL HYBRID ADDITIVE

Product code: 77003

Issue date: 16/09/2024

Revision date: 24/05/2024

Version: 3 (replaces version 2)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- **1.1 Product identifier**
- **Trade name:** 77 Lubricants Petrol Hybrid Additive
- **Article number:** 77003
- **UFI:** 62GF-54PX-E00T-48YQ
- **1.2 Relevant identified uses of the substance or mixture and uses advised against -**
- **Application of the substance / the mixture**
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 - Petromark Automotive Chemicals B.V.
 - Rooswijkweg 316
 - 1951 ME Velsen-Noord – Nederland
 - Tel +31 251 211397
- **Further information obtainable from:** Research & Development: sales@petromark.eu
- **1.4 Emergency telephone number:** During normal business hours: Tel: +31 251 211397



SECTION 2: HAZARDS IDENTIFICATION.

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

• Hazard pictograms



GHS08



PETROL HYBRID ADDITIVE

• **Signal word Danger**

• **Hazard-determining components of labelling:**

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics.

• **Hazard statements**

H304 May be fatal if swallowed and enters airways.

• **Precautionary statements**

- P101** If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves / eye protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P403 Store in a well-ventilated place.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Additional information:**

EUH066 Repeated exposure may cause skin dryness or cracking.

• **2.3 Other hazards**

• **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
• **vPvB:** Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

• **3.2 Mixtures**

• **Description:** -

Dangerous components:		
EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics.	75 - < 100%
	Asp. Tox. 1, H304, EUH066	
CAS: 27247-96-7 EINECS: 248-363-6 Reg.nr.: 01-2119539586-27	Phenol ,dimethylamino)methyl, ployisobutylele derivs.	2.5 - < 10%
	Aquatic Chronic 3, H412	

• **Additional information:**

The text of the hazard statements mentioned here can be found in chapter 16.

The application of a CRF (Child-Resist Fastening) is mandatory if this product is offered on the consumer market. Please note that the CRF is part of the packaging and not of the classification.

The application of a TWD (Tactile Warning of Danger) is mandatory if this product is offered on the consumer market. Please note that the TWD is part of the packaging and not of the classification.



PETROL HYBRID ADDITIVE

SECTION 4: FIRST AID MEASURES.

• 4.1 Description of first aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: FIRE-FIGHTING MEASURES.

• 5.1 Extinguishing media

• Suitable extinguishing agents:

Water haze
Fire-extinguishing powder
Carbon dioxide
Alcohol resistant foam

• 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

• 5.3 Advice for firefighters

• Protective equipment:

Mount respiratory protective device.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

• 6.1 Personal precautions, protective equipment and emergency procedures

Not required.

• 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

• 6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.



PETROL HYBRID ADDITIVE

SECTION 7: HANDLING AND STORAGE.

• 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

• Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

• **Requirements to be met by storerooms and receptacles:** Store in a cool location.

• **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

• **Storage class:** 10

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

• 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace:	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics.	
TLV (Germany)	Short-term value: 1200, 184

• **Additional information:** The lists valid during the making were used as basis.

• 8.2 Exposure controls

• **Appropriate engineering controls** No further data; see section 7.

• **Individual protection measures, such as personal protective equipment**

• **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

General ventilation

• **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A2/P2

• **Hand protection**



Protective gloves

Solvent resistant gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



PETROL HYBRID ADDITIVE

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0,5$ mm

- **Penetration time of glove material**

For continuous contact we recommend gloves with breakthrough time of at least 240 minutes, with the preference given to a breakthrough time greater than 480 minutes. For short-term or splash guard we recommend the same. We are aware that suitable gloves that offer this level of protection may not be available.

In that case, a shorter breakthrough time are acceptable as long as the procedures governing maintenance and timely replacement are followed. The thickness of the gloves is not a good measure of the resistance of the gloves against a chemical substance, because this depends on the exact composition of the material from which the gloves are made. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection** Safety glasses

- **Body protection:**

Use protective suit. (EN-13034/6)

Fully skin-covering anti-static, chemical- and oil-resistant clothing and safety shoes are recommended. (EN1149; EN340&EN ISO 13688; EN13034-6).

- **Environmental exposure controls** Use an appropriate container to avoid environmental pollution.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Fluid

- **Colour:**

Clear

- **Odour:**

Specific type

- **Odour threshold:**

Not determined.

- **Melting point/freezing point:**

Undetermined.

- **Boiling point or initial boiling point and boiling range**

184-214 °C (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics.)

Not applicable.

- **Flammability**

- **Lower and upper explosion limit**

- **Lower:**

0,6 Vol %

- **Upper:**

6 Vol %

- **Flash point:**

66 °C

- **Ignition Temperature**

233 °C

- **pH**

Mixture is non-polar/aprotic.

- **Viscosity:**

- **Kinematic viscosity at 20 °C**

1,7 mm²/s

- **Kinematic viscosity at 40 °C**

1,3 mm²/s



PETROL HYBRID ADDITIVE

• Dynamic:	Not determined
• Solubility	
• Water at 20 °C:	0,04 g/l
• Partition coefficient n-octanol/water (log value)	>0,60206
• Vapour pressure at 20 °C:	0,5 hPa
• Density and/or relative density	
• Density at 20 °C:	0,79 g/cm ³
• Relative density	Not determined.
• Bulk density:	790 kg/m ³
• Vapour density	Not determined.
• 9.2 Other information	
• Form:	Fluid
• Important information on protection of health and environment, and on safety.	
• Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
• Organic solvents:	94,8 %
• Solids content:	0,1 %
• Molecular weight	160 g/mol
• Evaporation rate	Not determined.
• Information with regard to physical hazard classes	
• Explosives	Void
• Flammable gases	Void
• Aerosols	Void
• Oxidising gases	Void
• Gases under pressure	Void
• Flammable liquids	Void
• Flammable solids	Void
• Self-reactive substances and mixtures	Void
• Pyrophoric liquids	Void
• Pyrophoric solids	Void
• Self-heating substances and mixtures	Void
• Substances and mixtures, which emit flammable gases in contact with water	Void
• Oxidising liquids	Void
• Oxidising solids	Void
• Organic peroxides	Void
• Corrosive to metals	Void
• Desensitised explosives	Void



PETROL HYBRID ADDITIVE

SECTION 10: STABILITY AND REACTIVITY.

- **10.1 Reactivity:** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:** No dangerous reactions known.
- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION.

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

• LD/LC50 values relevant for classification:		
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics.		
Oral	LD50	>5000 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (Rabbit)
Inhalative	LC50 (4h)	4951 mg/l (Rat)

- | | | |
|------------|-----------|----------------------|
| Oral | LD50 | >5000 mg/kg (Rat) |
| Dermal | LD50 | >2000 mg/kg (Rabbit) |
| Inhalative | LC50 (4h) | 4951 mg/l (Rat) |
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
 - **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure** Based on available data, the classification criteria are not met.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** May be fatal if swallowed and enters airways.

- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
None of the ingredients is listed.



PETROL HYBRID ADDITIVE

SECTION 12: ECOLOGICAL INFORMATION.

- **12.1 Toxicity**
- **Aquatic toxicity:**

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclic, <2% aromatics.	
EL0 (48h)	1000 mg/l (Daphnia magna)
EL0 (72h)	1000 mg/l (Pseudokirchneriella subcapitata)
LL0 (96h)	1000 mg/l (Oncorhynchus mykiss)

- **12.2 Persistence and degradability** Not easily biodegradable
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Harmful to aquatic organisms

SECTION 13: DISPOSAL CONSIDERATIONS.

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• European waste catalogue	
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.



PETROL HYBRID ADDITIVE

SECTION 14: TRANSPORT INFORMATION.

• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA	Void
• 14.2 UN proper shipping name • ADR, ADN, IMDG, IATA	Void
• 14.3 Transport hazard class(es) • ADR, IMDG, IATA • Class	Void
• ADN • ADN/R Class:	Void -
• 14.4 Packing group • ADR, IMDG, IATA	Void
• 14.5 Environmental hazards:	Not applicable.
• 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
• UN "Model Regulation":	Void

SECTION 15: REGULATORY INFORMATION.

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.
- Annex II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors
None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
None of the ingredients is listed.



PETROL HYBRID ADDITIVE

- **National regulations:**
- **Technical instructions (air):**

Class	Share in %
NK	75-<100

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **VOC-CH** 94,80 %
- **VOC-EU** 748,9 g/l
- **Danish MAL Code** 3-3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: OTHER INFORMATION.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Relevant phrases

H304	May be fatal if swallowed and enters airways.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

Physical and chemical properties: The classification is based on the results of the mixtures tested. Health hazards, Environmental hazards: The method of classification of mixtures based on the constituents of the mixture (sum formula).

- **Contact:** info@petromark.eu

- **Version number of previous version:** 2

• Abbreviations and acronyms:

ADR:	Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG:	International Maritime Code for Dangerous Goods
IATA:	International Air Transport Association
GHS:	Globally Harmonised System of Classification and Labelling of Chemicals
EINECS:	European Inventory of Existing Commercial Chemical Substances
ELINCS:	European List of Notified Chemical Substances
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
MAL-Code:	Måleteknisk Arbejdshygienisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)
LC50:	Lethal concentration, 50 percent



PETROL HYBRID ADDITIVE

LD50:	Lethal dose, 50 percent
PBT:	Persistent, Bioaccumulative and Toxic
vPvB:	very Persistent and very Bioaccumulative
ATE:	Acute toxicity estimate values
Asp. Tox. 1:	Aspiration hazard – Category 1
Aquatic Chronic 3:	Hazardous to the aquatic environment - long-term aquatic hazard – Category 3